

Rittal – The System.

Faster – better – everywhere.

NH fuse-switch- disconnectors, size 000 – SV 3431.030

Date : Jan 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



NH fuse-switch-disconnectors, size 000 – SV 3431.030

created: 24.01.2019 build on www.rittal.com/uk-en



Product description

Material: Fibreglass-reinforced polyamide
Fire protection corresponding to UL 94-V0
Contact tracks: Silver-plated hard copper

Colour: Chassis: RAL 7035
Cover: RAL 7001

Basis of test: IEC/DIN EN 60 947-3
DIN EN 60 269-2 (fuse inserts)

Product features

Design: Size: 000

To fit busbars: with cross-section height: 5 mm
with cross-section height: 10 mm

Number of poles: 3-pole

For bar systems with centre-to-centre spacing: 60 mm

Dimensions: Width: 53 mm
Height: 213 mm

Type of electrical connection: Box terminal

Connection for round conductor cross-sections: 2,5 mm² - 50 mm²

Rated operating current max.:	100 A
Cable outlet:	Bottom
Packs of:	1 pc(s).
Weight/pack:	0.6 kg
EAN:	4028177628731
Customs tariff number:	85369095
ETIM 6.0:	EC001040
ETIM 5.0:	EC001040
eCl@ss 8.0/8.1:	27371401
eCl@ss 7.0/7.1:	27371401
eCl@ss 6.0/6.1:	27371401
eCl@ss 5.1/5.1.4:	27370302
Product description:	SV NH fuse-switch disconnecter, size 000, 100 A, 690 V, 3-pole, box terminal, cable outlet bottom
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity