

Rittal – The System.

Faster – better – everywhere.

Conductor connection clamps – SV 3450.500

Date : Jan 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Conductor connection clamps – SV 3450.500

created: 24.01.2019 build on www.rittal.com/uk-en



Product description

Description:	For connecting round conductors and laminated copper bars.
Material:	Sheet steel
Surface finish:	Zinc-plated, passivated
Note:	Wire end ferrules should be used with fine wire conductors.

Product features

To fit busbars:	Cross-section (thickness): 5 mm
Connection for round conductor cross-sections:	1 mm ² - 4 mm ²
Packs of:	15 pc(s).
Weight/pack:	0.27 kg
EAN:	4028177042674
Customs tariff number:	85369010
ETIM 6.0:	EC000001
ETIM 5.0:	EC000001

eCl@ss 8.0/8.1:	27141146
eCl@ss 7.0/7.1:	27141146
eCl@ss 6.0/6.1:	27141146
eCl@ss 5.1/5.1.4:	27370302
Product description:	SV Conductor connection clamp, 1-4 mm ² , for bar thickness 5 mm
Approvals	
Approvals:	C-UR UR
Certificates:	EAC
Declarations:	Declaration of conformity