

Rittal – The System.

Faster – better – everywhere.

Tilting adaptor +100°/–60° for support arm connection 120 x 65 mm – CP 6206.460

Date : Jan 29, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Tilting adaptor +100°/-60° for support arm connection 120 x 65 mm – CP 6206.460

created: 29.01.2019 build on www.rittal.com/uk-en



Product description

Design: For mounting on
IW worktop, prepared for attachment of 130 mm diameter
Surfaces
Attachment/coupling with support arm connection 120 x 65 mm
To fit enclosures up to 20 kg with support arm connection
90 x 71 mm
Ø 130 mm
120 x 65 mm
VESA Standard 75
With cable tube for protected cable entry

Description: Tilting angle adjustable in 7.2° increments via clamping lever and may be limited to +100°/-15° using the stop screw supplied loose.

Material: Tilting adaptor: Sheet steel, spray-finished
Concertina section: Plastic

Colour: Tilting adaptor: RAL 7035
Concertina section: RAL 7024

Supply includes: Assembly parts
Concertina section

Product features

Rotating/tilting: yes

Tilting angle: Note: Adjustable in 7.2° increments via clamping lever and may be limited to +100°/-15° using the stop screw supplied loose

Packs of:	1 pc(s).
Weight/pack:	0.8 kg
EAN:	4028177684454
Customs tariff number:	73269098
ETIM 6.0:	EC000882
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27400556
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description:	CP Tilting adaptor +100°/-60°, CP 60/120, for support arm connection 120 x 65 mm
Approvals	
Declarations:	Manufacturer's declaration