


DESCRIPTION:

Easy Entry Pre-Insulated Crimp Terminals are made from oxygen-free high conductivity copper. They are electro-tin plated for excellent conductivity and resistance to corrosion. Push-On terminals are made from brass, while the insulated types benefit from an additional internal copper sleeve, ensuring insulation support and a good crimp joint.



SPECIFICATION:

PVC:

MATERIAL: Electro-tin plated copper **INSULATION: Polyvinyl Chloride**

APPROVALS: UL, E211389, RoHS compliant

MAX TEMPERATURE: 75°C MAX VOLTAGE: 600V

NYLON:

MATERIAL: Electro-tin plated copper

INSULATION: Nylon

APPROVALS: UL, E211389, RoHS compliant

MAX TEMPERATURE: 105°C MAX VOLTAGE: 600V

PART NUMBERS:

				DIMENSIONS (IIIII)				
COLOUR/WIRE Ø mm²	PART NO.		Max. elect. rating	L	F	d	D	PACK QTY
	PVC	NYLON	(A)					
0.5 - 1.5 RED	CIBC1	CNIBC1	19	26.0	15.0	1.7	4.1	100
1.5 - 2.5 BLUE	CIBC2	CNIBC2	27	26.0	15.0	2.3	4.5	50
4-6 YELLOW	CIBC3	CNIBC3	48	26.0	15.0	3.4	6.5	50











