

SlimFix SFX 11/60 MM GE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



Highly flexible: SFX

SFX markers are the preferred choice for labelling cables if you prefer the classic cable tie solution. Cables do not always run in a straight line. The material used in SFX markers addresses this fact with highly flexible polyurethane. The marker follows each curve of the cable and latches on with ease.

General ordering data

Type	SFX 11/60 MM GE
Order No.	2005400000
Version	SlimFix, Conductor and cable markers, 7 - , 60 x 11 mm, Yellow
GTIN (EAN)	4050118390209
Qty.	1,000 pc(s).
compatible printer	2430920000 2448870000

Data sheet

SlimFix SFX 11/60 MM GE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	11 mm	Width (inches)	0.433 inch
Height	60 mm	Height (inches)	2.362 inch
Depth	0.6 mm	Depth (inches)	0.024 inch
Net weight	0.566 g		

General data

Colour	Yellow	Material	Polyurethane
Number per roll	1,000	Operating temperature range	-40...90 °C
Size of labelling field	44 x 10.5mm	UL 94 flammability rating	HB
Version	halogen-free	Width	11 mm

Conductor and cable markers

Conductor O.D.	7 -	Conductor O.D., min.	7 mm
Halogen	No		

Classifications

ETIM 5.0	EC001530	ETIM 6.0	EC001530
eClass 6.2	27-40-04-01	eClass 9.0	242808
eClass 9.1	27-40-04-01		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD, Zuken E3.S
------------------	------------------------------------------

Data sheet

SlimFix
SFX 11/60 MM GE

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

