

## D-SERIES RIM 2 6/24VDC

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 1429-0  
Fax: +49 5231 14292083  
www.weidmueller.com



Accessories for D-SERIES relays include:

- Relay bases
- LED / Protective modules
- Metal retaining clips

### General ordering data

Type	RIM 2 6/24VDC
Order No.	<a href="#">7760056015</a>
Version	D-SERIES, LED module with freewheel diode, Rated control voltage: 6...24 V DC, Plug-in connection
GTIN (EAN)	4032248878116
Qty.	10 pc(s).

**D-SERIES  
RIM 2 6/24VDC**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 1429-0  
 Fax: +49 5231 14292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

Width	12.4 mm	Width (inches)	0.488 inch
Height	8.6 mm	Height (inches)	0.339 inch
Depth	32 mm	Depth (inches)	1.26 inch
Net weight	1.9 g		

**Temperatures**

Operating temperature	Storage temperature
-----------------------	---------------------

**Input**

Rated control voltage	6...24 V DC	Status indicator	Green LED
Protective circuit	Free-wheel diode		

**Connection data**

Wire connection method	Plug-in connection
------------------------	--------------------

**Classifications**

ETIM 5.0	EC002586	ETIM 6.0	EC002586
eClass 6.2	27-37-16-03	eClass 7.1	27-37-92-08
eClass 8.1	27-37-92-08	eClass 9.0	27-37-16-92
eClass 9.1	27-37-10-10		

**Approvals**

Approvals




ROHS	Conform
------	---------

**Downloads**

Brochure/Catalogue	<a href="#">CAT 4.2 ELECTR 15/16 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>

**Data sheet****D-SERIES  
RIM 2 6/24VDC**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 1429-0  
Fax: +49 5231 14292083  
www.weidmueller.com

**Drawings****Wiring diagram****Dimensional drawing**