

Rittal – The System.

Faster – better – everywhere.

► Compact enclosures AE Stainless steel – AE 1006.500

Date : May 31, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE Stainless steel – AE 1006.500

created : 31.05.2016 build on www.rittal.com/uk-en



Product description

Material:
Enclosure: Stainless steel
Door: Stainless steel, all-round foamed-in PU seal
Mounting plate: Sheet steel
Stainless steel 1.4404 (AISI 316L)
Lock insert: Stainless steel 1.4404 (AISI 316L)

Surface finish:
Enclosure and door: Brushed, grain 240
Mounting plate: Zinc-plated

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
NEMA:** NEMA 4X

IK Code: IK08

Supply includes:
Enclosure with door(s)
Mounting plate

Packs of: 1 pc(s).

EAN: 4028177421288

**Customs tariff
number:** 94032080

eCl@ss 5.1: 27180102

eCl@ss 7.0: 27180101

Product features

Dimensions: Width: 380 mm
Height: 380 mm
Depth: 210 mm

Mounting plate: Width: 334 mm
Height: 355 mm

Number of doors: 1

Number of cam locks: 1


Lock version: Cam

Number of locks: 1

Lock insert: 3 mm double-bit

Weight/pack: 9.8 kg

Approvals




Approvals:  [Bureau Veritas \(EN\)](#)
 [CSA \(EN\)](#)
 [Germanischer Lloyd \(EN\)](#)
 [Lloyds Register of Shipping \(EN\)](#)
 [Russian Maritime Register of Shipping \(EN\)](#)
 [TÜV EN](#)
 [UL + C-UL \(EN\)](#)

Certificates:  [IK-Code \(EN\)](#)
 [Protection category \(EN\)](#)

Declarations:  [Declaration of conformity \(DE\)](#)
 [Manufacturer's declaration \(EN, DE\)](#)

Downloads

Data sheets:  [Technical details](#)
EN

Documentation:  [Further information](#)
1
 [Instructions \(EN, DE\)](#)
 [Load brochure \(EN, DE\)](#)

CAD drawings: Request

Please note that there are the following alternative products:



Compact enclosures AE

Further information on this product

◆ www.rittal.com/uk-en/Compact_enclosures_AE