

# Rittal – The System.

Faster – better – everywhere.

## ► Small enclosures KX E-Box KX, stainless steel – KX 1301.000

Date : Feb 12, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Small enclosures KX E-Box KX, stainless steel – KX 1301.000

created: 12.02.2020 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	The small enclosure KX, E-Box KX (stainless steel), offers remarkable ease of assembly and flexibility when selecting lock systems. The series-standard 180° hinges provide easy access to the enclosure interior.
<b>Material:</b>	Enclosure: Stainless steel Door: Stainless steel, all-round foamed-in PU seal Mounting plate: Sheet steel Stainless steel 1.4404 (AISI 316L)
<b>Surface finish:</b>	Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Mounting plate: Zinc-plated
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4X
<b>Type rating to UL 508A:</b>	Type 3X/4X
<b>Supply includes:</b>	Mounting plate Cam lock with 3 mm double-bit insert
<b>Basic material:</b>	Stainless steel 1.4404 (AISI 316L)

## Product features

<b>Dimensions:</b>	Width: 200 mm Height: 300 mm Depth: 155 mm
--------------------	--

<b>Material thickness:</b>	Enclosure: 1.5 mm Door: 1.5 mm
<b>Mounting plate:</b>	Width: 175 mm Height: 285 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	4.1 kg
<b>EAN:</b>	4028177919037
<b>Customs tariff number:</b>	94032080
<b>ETIM 7.0:</b>	EC002713
<b>ETIM 6.0:</b>	EC002713
<b>eCl@ss 8.0/8.1:</b>	27180101
<b>eCl@ss 6.0/6.1:</b>	27180101
<b>Product description:</b>	KXE-Box, WHD: 200x300x155 mm, stainless steel 1.4404, with mounting plate, single-door, with one cam lock