## Rittal - The System.

Faster – better – everywhere.

## ► Terminal boxes KL Stainless steel – KL 1530.010

Date : Jan 11, 2019



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Terminal boxes KL Stainless steel - KL 1530.010

created: 11.01.2019 build on www.rittal.com/uk-en



Product description	
Material:	Enclosure: Stainless steel 1.4301 (AISI 304) Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal
Surface finish:	Enclosure and cover: Brushed, grain 180
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X
IK Code:	IK08
Supply includes:	Enclosure with cover Quick-release fastener including plastic bushes
Basic material:	Stainless steel
Product features	
Dimensions:	Width: 400 mm Height: 300 mm Depth: 120 mm
Material thickness:	Enclosure: 1.25 mm Cover: 1.25 mm
Number of locks:	4
Packs of:	1 pc(s).

© Rittal 2019

Weight/pack:	4.6 kg
EAN:	4028177663350
Customs tariff number:	85389099
ETIM 6.0:	EC002713
ETIM 5.0:	EC002713
e CI@ss 8.0/8.1:	27180101
e CI@ss 7.0/7.1:	27180101
e CI@ss 6.0/6.1:	27180101
e CI@ss 5.1/5.1.4:	27180102
Product description:	KL Terminal box, WHD: 400x300x120 mm, Stainless steel 1.4301, without mounting plate, with cover, without gland plate
Approvals	
Approvals:	Bureau Veritas CSA DNV-GL Lloyds Register of Shipping Russian Maritime Register of Shipping TÜV UL + C-UL
Certificates:	EAC IK-Code
Declarations:	Declaration of conformity

© Rittal 2019