

Rittal – The System.

Faster – better – everywhere.

► Small enclosures KX E-Box KX, sheet steel – KX 1546.000

Date : Mar 13, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Small enclosures KX E-Box KX, sheet steel – KX 1546.000

created: 13.03.2020 build on www.rittal.com/uk-en



Product description

| | |
|--|---|
| Description: | The small enclosure KX, E-Box KX (sheet steel), offers remarkable ease of assembly and flexibility when selecting lock systems. |
| Material: | Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal |
| Surface finish: | Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated |
| Colour: | RAL 7035 |
| Protection category IP to IEC 60 529: | IP 66 |
| Protection category NEMA: | NEMA 4 |
| Type rating to UL 508A: | Type 3R/4 |
| IK Code: | IK08 |
| Supply includes: | Enclosure with door Mounting plate Cam lock with 3 mm double-bit insert |
| Basic material: | Sheet steel |

Product features

| | |
|-------------------------------|---|
| Dimensions: | Width: 200 mm Height: 200 mm Depth: 80 mm |
| Outlet direction: | The small enclosure KX, E-Box KX (sheet steel), offers remarkable ease of assembly and flexibility when selecting lock systems. |
| Material thickness: | Enclosure: 1.25 mm Door: 1.25 mm Mounting plate: 2 mm |
| Mounting plate: | Width: 175 mm Height: 185 mm |
| Packs of: | 1 pc(s). |
| Weight/pack: | 2.26 kg |
| EAN: | 4028177816480 |
| Customs tariff number: | 94032080 |
| ETIM 7.0: | EC002713 |
| ETIM 6.0: | EC002713 |
| eCl@ss 8.0/8.1: | 27180101 |
| eCl@ss 6.0/6.1: | 27180101 |
| Product description: | KX E-Box, WHD: 200x200x80 mm, sheet steel, with mounting plate, with door |
| Approvals | |
| Approvals: | UL + C-UL |
| Declarations: | Declaration of conformity |