

□

# **Small enclosures KX E-Box KX, sheet steel – KX 1548.000**

Date : Nov 8, 2019

□

# Small enclosures KX E-Box KX, sheet steel – KX 1548.000

: 08.11.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	The small enclosure KX, E-Box KX (sheet steel), offers remarkable ease of assembly and flexibility when selecting lock systems.
<b>Material:</b>	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
<b>Surface finish:</b>	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
<b>Colour:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4
<b>Type rating to UL 508A:</b>	Type 3R/4
<b>IK Code:</b>	IK08
<b>Supply includes:</b>	Enclosure with door Mounting plate Cam lock with 3 mm double-bit insert
<b>Basic material:</b>	Sheet steel

## Product features

<b>Dimensions:</b>	Width: 150 mm Height: 300 mm Depth: 120 mm
<b>Material thickness:</b>	Enclosure: 1.25 mm Door: 1.25 mm Mounting plate: 2 mm
<b>Mounting plate:</b>	Width: 125 mm Height: 285 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	3 kg
<b>EAN:</b>	4028177816503
<b>Customs tariff number:</b>	94032080
<b>ETIM 7.0:</b>	EC002713
<b>ETIM 6.0:</b>	EC002713
<b>eCl@ss 8.0/8.1:</b>	27180101
<b>eCl@ss 6.0/6.1:</b>	27180101
<b>Product description:</b>	KXE-Box, WHD: 150x300x120 mm, sheet steel, with mounting plate, with door
<b>Approvals</b>	
<b>Approvals:</b>	UL + C-UL