

# Rittal – The System.

Faster – better – everywhere.

## ► Small enclosures KX E-Box KX, sheet steel – KX 1579.000

Date : Feb 6, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Small enclosures KX E-Box KX, sheet steel – KX 1579.000

created: 06.02.2020 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	The small enclosure KX, E-Box KX (sheet steel), offers remarkable ease of assembly and flexibility when selecting lock systems.
<b>Material:</b>	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
<b>Surface finish:</b>	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
<b>Colour:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4
<b>Type rating to UL 508A:</b>	Type 3R/4
<b>IK Code:</b>	IK08
<b>Supply includes:</b>	Enclosure with door Mounting plate Cam lock with 3 mm double-bit insert
<b>Basic material:</b>	Sheet steel

## Product features

**Dimensions:** Width: 300 mm  
Height: 800 mm  
Depth: 155 mm

**Material thickness:** Enclosure: 1.25 mm  
Door: 1.25 mm  
Mounting plate: 2 mm

**Mounting plate:** Width: 275 mm  
Height: 785 mm

**Weight/pack:** 12.8 kg

**ETIM 7.0:** EC002713

**eCl@ss 8.0/8.1:** 27180101

**eCl@ss 6.0/6.1:** 27180101

**Product description:** KX E-Box, WHD: 300x800x155 mm, sheet steel, with mounting plate, with door

## Approvals

**Approvals:** UL + C-UL

**Declarations:** Declaration of conformity