

# Rittal – The System.

Faster – better – everywhere.

## ▶ Door-operated switch for LED system light – SZ 2500.460

Date : Jan 15, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Door-operated switch for LED system light – SZ 2500.460

created: 15.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	For time-saving and simple installation of the LED system light.
<b>Colour:</b>	Black
<b>Supply includes:</b>	Assembly parts

## Product features

<b>Dimensions:</b>	Width: 31 mm Height: 78 mm Depth: 30 mm Length: 800 mm
<b>Rated operating voltage:</b>	230 V 24 V (DC) (DC)
<b>Cross-section:</b>	0.75 mm <sup>2</sup> AWG 18
<b>For rated current (max.):</b>	1 A
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	0.12 kg
<b>EAN:</b>	4028177809178

<b>Customs tariff number:</b>	85365080
<b>ETIM 6.0:</b>	EC002626
<b>ETIM 5.0:</b>	EC002626
<b>eCl@ss 8.0/8.1:</b>	27189266
<b>eCl@ss 7.0/7.1:</b>	27119116
<b>eCl@ss 6.0/6.1:</b>	27119116
<b>eCl@ss 5.1/5.1.4:</b>	27189241
<b>Product description:</b>	SZ Door-operated switch, with connection wire, L: 800 mm, black
<b>Approvals</b>	
<b>Approvals:</b>	CCC
<b>Certificates:</b>	EAC