

# Rittal – The System.

Faster – better – everywhere.

## ► TopTherm fan-and-filter units – SK 3238.124

Date : Apr 22, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TopTherm fan-and-filter units – SK 3238.124

created : 22.04.2016 build on www.rittal.com/uk-en



## Product description

**Colour:** RAL 7035

**Protection category  
IP to IEC 60 529:** IP 54  
NEMA 12  
With hose-proof hood: IP 56  
With hose-proof hood: NEMA 3  
With hose-proof hood: NEMA 3R  
With hose-proof hood: NEMA 4  
With hose-proof hood: NEMA 4X  
With fine filter mat or hose-proof hood: IP 54  
With fine filter mat or hose-proof hood: NEMA 12

**Supply includes:** Complete unit ready to install, including filter mat

**Note:** For energy-efficient operation of the fan-and-filter units, we recommend using the enclosure internal thermostat, the speed control or the digital enclosure internal temperature display and thermostat

**Packs of:** 1 pc(s).

**EAN:** 4028177651722

**Customs tariff  
number:** 84145100







**eCl@ss 5.1:** 27180705

**eCl@ss 7.0:** 27180716





**ETIM 6.0:** EC000320

Product features	
<b>Air throughput (unimpeded air flow):</b>	With DC: 55 m³/h
<b>Air throughput with outlet filter including standard filter mat:</b>	Number of outlet filters: 1 Number of outlet filters: 2 Model No. of outlet filter: SK 3238.200 Model No. of outlet filter: SK 3238.200 With DC: 43 m³/h With DC: 46 m³/h
<b>Rated operating voltage:</b>	24 V (DC)
<b>Dimensions:</b>	Width: 148.5 mm Height: 148.5 mm
<b>Required mounting cut-out:</b>	Width: 124 mm Height: 124 mm
<b>Build depth:</b>	16 mm
<b>Installation depth:</b>	58.5 mm
<b>Temperature range:</b>	Bearing: -30°C...+70°C Operation (environment): -15°C...+55°C
<b>Power consumption Pel:</b>	With DC: 5.5 W
<b>Rated current (max.):</b>	With DC: 0.24 A
<b>Pre-fuse:</b>	Miniature circuit-breaker/fuse: 2 A
<b>Noise level:</b>	With DC: 46 dB(A)
<b>Diagonal fan:</b>	Diagonal, DC motor
<b>Weight/pack:</b>	0.54 kg


## Approvals

<b>Approvals:</b>	<a href="#"> Approval overview EN</a> <a href="#"> C-UR (EN)</a> <a href="#"> CSA (EN)</a> <a href="#"> UR (EN)</a> <a href="#"> UR + C-UR (EN)</a>
<b>Declarations:</b>	<a href="#"> Declaration of conformity (EN, DE)</a>

## Downloads


<b>Data sheets:</b>	<a href="#"> Performance diagrams</a> EN <a href="#"> Technical details</a> EN <a href="#"> Technical system catalogue (DE)</a>
<b>Documentation:</b>	<a href="#"> Instructions</a> EN
<b>Specialist literature:</b>	<a href="#"> The Rittal technology library</a> EN
<b>CAD drawings:</b>	Request

**Please note that there are the following alternative products:**




**TopTherm fan-and-filter units EMC**

Further information on this product  
[www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)




**TopTherm fan-and-filter units EMC**

Further information on this product  
[www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)




**TopTherm fan-and-filter units EMC**

Further information on this product  
[www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)



**TopTherm fan-and-filter units EMC**

Further information on this product  
[www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)



**TopTherm fan-and-filter units EMC**

Further information on this product  
[www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)



## TopTherm fan-and-filter units EMC

Further information on this product

◆ [www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)



## TopTherm fan-and-filter units EMC

Further information on this product

◆ [www.rittal.com/uk-en/TopTherm\\_fan\\_and\\_filter\\_units\\_EMC](http://www.rittal.com/uk-en/TopTherm_fan_and_filter_units_EMC)