

Rittal – The System.

Faster – better – everywhere.

► C rails 30/15 to EN 60715 for VX, TS, SE – SZ 4943.000

Date : Nov 12, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



C rails 30/15 to EN 60 715 for VX, TS, SE – SZ 4943.000

created: 12.11.2019 build on www.rittal.com/uk-en



Product description

Material: Sheet steel

Surface finish: Zinc-plated

Product features

To fit: Enclosure type: VX
Enclosure type: TS
Enclosure type: SE
Width/depth: 500 mm

Dimensions: Length: 455 mm

Installation options: On the inner mounting level of the VX enclosure section
On the vertical TS, SE enclosure section via snap-on nuts TS 8800.808 or adaptor rails for PS compatibility.
On the vertical TS, SE enclosure section via adaptor rails for PS compatibility
On the horizontal TS enclosure section
In the case of SE, additionally at the horizontal section in the width at the bottom and top or in the depth at the bottom (without mounting plate) via snap-on nuts 8800.808.
On base configuration rail for CM

Packs of: 6 pc(s).

Weight/pack: 1.9 kg

Copper weight (kg per piece): 0

EAN: 4028177114579

Customs tariff number:	73269098
ETIM 7.0:	EC000386
ETIM 6.0:	EC000386
eCl@ss 8.0/8.1:	27400602
eCl@ss 6.0/6.1:	23159101
Product description:	SZ C rail 30/15 to EN 60 715, for TS, SE, for W/D: 500 mm, L: 455 mm