

# Rittal – The System.

Faster – better – everywhere.

## ► C rails 30/15 to EN 60715 for VX, TS, SE – SZ 4945.000

Date : Jan 25, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# C rails 30/15 to EN 60 715 for VX, TS, SE – SZ 4945.000

created: 25.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

**Material:** Sheet steel

**Surface finish:** Zinc-plated

## Product features

**To fit:** Enclosure type: VX  
Enclosure type: TS  
Enclosure type: SE  
Width/depth: 800 mm

**Dimensions:** Length: 755 mm

**Installation options:** On the vertical TS, SE enclosure section via snap-on nuts TS 8800.808 or adaptor rails for PS compatibility.  
On the horizontal TS enclosure section  
In the case of SE, additionally at the horizontal section in the width at the bottom and top or in the depth at the bottom (without mounting plate) via snap-on nuts 8800.808.  
On base configuration rail for CM  
On the inner mounting level of the VX enclosure section  
In combination with the base/plinth installation bracket in the VX base/plinth system

**Weight/pack:** 3.3 kg

**ETIM 5.0:** EC000386

**eCl@ss 8.0/8.1:** 27400602

**eCl@ss 6.0/6.1:** 23159101

**Product description:** SZ C rail 30/15 to EN 60 715, for TS, SE, for W/D: 800 mm, L: 755 mm

---