Rittal – The System.

Faster – better – everywhere.

Rail for interior installation for CM, TP – CM 5001.051 Date : Jan 25, 2019



ENCLOSURES

POWER DISTRIBUTION >> CLIMATE CONTROL

 \gg it infrastructure \gg software & services \gg

FRIEDHELM LOH GROUP

Rail for interior installation for CM, TP – CM 5001.051

created: 25.01.2019 build on www.rittal.com/uk-en



Product description	
Description:	For mounting on the existing threaded bolts. With TS system punchings on three sides
Material:	Sheet steel
Surface finish:	Zinc-plated
Supply includes:	Assembly parts
Product features	
To fit:	Enclosure type: CM Enclosure type: TP Width: = 800 mm Width: = 800 mm Height: = 800 mm Height: = 960 mm
Dimensions:	Length: 710 mm
Installation options:	CM, 800 mm wide CM, 800 mm high TP console, 800 mm wide: in cover/rear panel TP desk unit, 800 mm wide: in cover/base TP one-piece console, 800 mm wide: in cover TP one-piece console, 960 mm high
Weight/pack:	2.31 kg
ETIM 5.0:	EC002620

1

e CI@ss 8.0/8.1:	27189261
eCl@ss 6.0/6.1:	23159101
Product description:	CM Rail for interior installation, for CM, TP, L: 710 mm