

Rittal – The System.

Faster – better – everywhere.

► Cable clamp rail C-section, for mounting plates, for TS, SE, CM, TP – CM 5001.083

Date : Jan 25, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable clamp rail C-section, for mounting plates, for VX, TS, SE, CM, TP – CM 5001.083

created: 25.01.2019 build on www.rittal.com/uk-en



Product description

Description: For strain relief with cable entry. The length of the cable clamp rail is tailored to the width of the mounting plate. The mounting bracket included with the supply supports three different installation situations on the mounting plate.

Material: Sheet steel

Surface finish: Zinc-plated

Supply includes: Two mounting brackets and assembly screws

Product features

To fit: Enclosure type: VX
Enclosure type: TS 8
Enclosure type: SE
Enclosure type: TP
Enclosure type: CM
Width: = 1200 mm

Dimensions: Length: 1099 mm

Installation options: straight, at a distance of 23 mm from the mounting plate
straight, at a distance of 10 mm from the mounting plate
tilted, towards the mounting plate

Weight/pack: 0.45 kg

ETIM 5.0: EC000322

eCl@ss 8.0/8.1: 27400604

eCl@ss 6.0/6.1: 27400604

Product description: CM Cable clamp rail C-section, for mounting plate, for TS, SE, CM, TP, for W: 1200 mm
