

Rittal – The System.

Faster – better – everywhere.

► Compact enclosure AX Operating housing AX for desktop TFT up to 24" – AX 6321.050

Date : Apr 8, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosure AX Operating housing AX for desktop TFT up to 24" – AX 6321.050

created: 08.04.2020 build on www.rittal.com/uk-en



Product description

Description:	For the installation of commercially available desktop TFTs with a screen diagonal of up to 24" in the formats 16:9/16:10.
Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal Handle strips: Aluminium Cover caps: Plastic Viewing window: Single-pane safety glass TFT holder: Sheet steel
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Handle strip: Natural anodised
Colour:	Enclosure and door: RAL 7035 Handle strip: Natural anodised Cover caps: similar to RAL 7024
Protection category IP to IEC 60 529:	IP 65
Type rating to UL 508A:	Type 1, 12
Supply includes:	Enclosure with door, cut-out and reinforcement for support arm connection Ø 130 mm Viewing window Holder for desktop TFT with VESA 75/100 locator Side handle strips and cover caps Rear door with r/h hinge Cam lock with 3 mm double-bit insert Integral interior installation bracket with system punchings
Note:	The support arm connection and door hinge may be swapped over by rotating the enclosure

Optional: Support arm connection Ø 130 mm, preformed off-centre in the reinforcement plate, easily drilled out

Lock systems for servicing access from the rear: Lock insert may be exchanged for mini comfort handle AX, 27 mm lock inserts, type A

Basic material:	Sheet steel
Product features	
Dimensions:	Width: 650 mm Height: 450 mm Depth: 155 mm
Outlet direction:	For the installation of commercially available desktop TFTs with a screen diagonal of up to 24" in the formats 16:9/16:10.
Number of cam locks:	2
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Packs of:	1 pc(s).
Weight/pack:	18 kg
EAN:	4028177923249
Customs tariff number:	94032080
ETIM 7.0:	EC002504
ETIM 6.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 6.0/6.1:	27180505
Product description:	AX Operating housing, for desktop TFT up to 24", WHD: 650x450x155 mm, sheet steel, aluminium handle strips
Approvals	
Approvals:	UL + C-UL
Declarations:	Declaration of conformity

