Rittal - The System.

Faster – better – everywhere.

Compact Panel – CP 6340.400

Date: Feb 18, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Compact Panel – CP 6340.400

created: 18.02.2019 build on www.rittal.com/uk-en



Product description

Design:	with support arm connection 90 x 71 mm for CP 40, steel
Description:	For small operating units built into front panels. The front panel is inserted from the rear and secured with screw clamps. Special front panels with a material thickness of between 2 and 6 mm are possible. Rear panel optionally hinged on the left or right. Roof tray with cut-out and reinforcement for support arm system CP 40 steel.
Material:	Roof tray, base tray: Die-cast zinc Rear panel: Aluminium Side parts: Extruded aluminium section Screw cover: Plastic
Surface finish:	Roof tray, base tray, side parts: Powder-coated Rear panel: natural anodised
Colour:	RAL 7024

Cumply included

Protection category IP to IEC 60 529:

IP 65

Supply includes: Roof tray

Base tray Rear panel Side parts Screw cover

Seal and screw clamp

Product features

For the configuration of subracks:

To fit front panel width: 252 mm

Dimensions: Width: 315 mm

© Rittal 2019

Height: 388 mm Depth: 87 mm

To fit front panels:	with width: 252 mm with height: 350 mm
Packs of:	1 pc(s).
Weight/pack:	4.5 kg
EAN:	4028177382725
Customs tariff number:	94032080
ETIM 6.0:	EC002504
ETIM 5.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 7.0/7.1:	27180505
eCl@ss 6.0/6.1:	27180505
e CI@ss 5.1/5.1.4:	27180505
Product description:	CP Compact Panel, WHD: 315x388x87 mm, aluminum, for front panel WH 252x350 mm
Approvals	
Declarations:	Declaration of conformity

© Rittal 2019