

Rittal – The System.

Faster – better – everywhere.

▶ Command panel housing with door Stainless steel – CP 6536.010

Date : Nov 28, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Command panel housing with door Stainless steel – CP 6536.010

created: 28.11.2019 build on www.rittal.com/uk-en



Product description

Material:	Enclosure and door: Stainless steel 1.4301 (AISI 304) Handle strips: Plastic approved for use with foodstuffs, dyed blue
Surface finish:	Brushed, grain 240
Colour:	Handle strips: similar to RAL 5002
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 12
Supply includes:	Enclosure of all-round solid construction Cut-out and reinforcement for support arm system CP 40 stainless steel Fastener with guide plate Door with sealing frame and side handle strips Lock: 3 mm double-bit
Note:	The support arm connection and door hinge may be swapped over by rotating the enclosure 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and T handles, type C
Note on Model No.:	Matching mounting panel 5050.430 with dispatch bag 5050.507

Product features

Dimensions:	Width: 400 mm Height: 300 mm Depth: 150 mm
--------------------	--

Packs of:	1 pc(s).
Weight/pack:	7.5 kg
EAN:	4028177220379
Customs tariff number:	94032080
ETIM 7.0:	EC002504
ETIM 6.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 6.0/6.1:	27180505
Product description:	CP Command panel housing with door, WHD: 400x300x150 mm, Stainless steel 1.4301
Approvals	
Approvals:	CSA TÜV UL
Declarations:	Declaration of conformity