

# Rittal – The System.

Faster – better – everywhere.

## ▶ Command panel housing with door Stainless steel – CP 6539.010

Date : Feb 20, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Command panel housing with door Stainless steel – CP 6539.010

created: 20.02.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Material:</b>	Enclosure and door: Stainless steel 1.4301 (AISI 304) Handle strips: Plastic approved for use with foodstuffs, dyed blue
<b>Surface finish:</b>	Brushed, grain 240
<b>Colour:</b>	Handle strips: similar to RAL 5002
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 12
<b>Supply includes:</b>	Enclosure of all-round solid construction Cut-out and reinforcement for support arm system CP 40 stainless steel Fastener with guide plate Door with sealing frame and side handle strips Lock: 3 mm double-bit
<b>Note:</b>	The support arm connection and door hinge may be swapped over by rotating the enclosure Matching mounting plates from compact enclosures AE may be used 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and T handles, type C
<b>Note on Model No.:</b>	Matching mounting panel 5050.436

## Product features

<b>Dimensions:</b>	Width: 600 mm Height: 400 mm
--------------------	---------------------------------

Depth: 150 mm

<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	12.1 kg
<b>EAN:</b>	4028177220393
<b>Customs tariff number:</b>	94032080
<b>ETIM 6.0:</b>	EC002504
<b>ETIM 5.0:</b>	EC002504
<b>eCl@ss 8.0/8.1:</b>	27180505
<b>eCl@ss 7.0/7.1:</b>	27180505
<b>eCl@ss 6.0/6.1:</b>	27180505
<b>eCl@ss 5.1/5.1.4:</b>	27180505
<b>Product description:</b>	CP Command panel housing with door, WHD: 600x400x150 mm, Stainless steel 1.4301
<b>Approvals</b>	
<b>Approvals:</b>	CSA TÜV UL
<b>Declarations:</b>	Declaration of conformity