

Rittal – The System.

Faster – better – everywhere.

► Component shelf, pull-out for TE – DK 7000.625

Date : Feb 21, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Component shelf, pull-out for TE – DK 7000.625

created: 21.02.2019 build on www.rittal.com/uk-en



Product description

Description:	For mounting between two 482.6 mm (19") levels.
Benefits:	Depth-variable to adjust to the 482.6 mm (19") distance between levels in a 25 mm pitch pattern Fully extendible
Material:	Base: Sheet steel
Surface finish:	Base: Spray-finished Mounting kit/telescopic slides: Zinc-plated
Colour:	RAL 7035
Supply includes:	Component shelf, vented Telescopic slides with mounting kit

Product features

Dimensions:	Width: 482.6 mm Width: 19" Depth: 500 mm
Distance between levels:	min.: 395 mm max.: 645 mm
Contact surface:	Width: 409 mm Depth: 500 mm
Load capacity:	static (max.): 500 N

Packs of:	1 pc(s).
Weight/pack:	4.77 kg
EAN:	4028177553149
Customs tariff number:	94039010
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189218
Product description:	DK Component shelf, WxD: 482,6x500 mm, 50 kg, distance between levels: 495 mm, depth-variable, For 482.6 mm (19") system punchings, RAL 7035