

# Rittal – The System.

Faster – better – everywhere.

## ► Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.020

Date : May 31, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.020

created : 31.05.2016 build on www.rittal.com/uk-en



## Product description

<b>Description:</b>	As the handle does not take up any swing space, due to its folding mechanism, the door surface area may be maximised for installed equipment.
<b>Material:</b>	Die-cast zinc
<b>Surface finish:</b>	Powder-coated
<b>Colour:</b>	RAL 7035
<b>Assembly instruction:</b>	The handle adaptor is required for mounting on glazed door TS, lower door PC, designer door IW
<b>Packs of:</b>	1 pc(s).
<b>EAN:</b>	4028177211872
<b>Customs tariff number:</b>	83024110
<b>eCl@ss 5.1:</b>	27189220
<b>eCl@ss 7.0:</b>	27409217
<b>ETIM 6.0:</b>	EC000327

## Product features

<b>Design:</b>	For lock inserts
----------------	------------------

---

<b>To fit:</b>	Enclosure type: EL 3-part, 18 – 21 U Enclosure type: TS Enclosure type: TS IT Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 bayed enclosure suites with comfort handle Enclosure type: SE 8 stainless steel
----------------	---

---

<b>Weight/pack:</b>	0.74 kg
---------------------	---------

---

## Downloads

---

<b>Documentation:</b>	 <a href="#">Instructions</a> EN, DE
-----------------------	--

---

<b>CAD drawings:</b>	Request
----------------------	---------

---