

# Rittal – The System.

Faster – better – everywhere.

## ► Busbar supports flat copper busbars – SV 9340.010

Date : Jan 11, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Busbar supports flat copper busbars – SV 9340.010

created: 11.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Material:</b>	Polyamide (PA 6.6) Fire protection corresponding to UL 94-V0
<b>Colour:</b>	RAL 7035
<b>Note:</b>	If 12 x 5/10 mm busbars are used, the spacer 9340.090 is additionally required

## Product features

<b>To fit busbars:</b>	With dimensions (mm): 15 x 5 - 30 x 10
<b>Number of poles:</b>	3-pole
<b>Centre-to-centre spacing of busbars:</b>	60 mm
<b>External attachment:</b>	yes
<b>Packs of:</b>	4 pc(s).
<b>Weight/pack:</b>	0.72 kg
<b>EAN:</b>	4028177502338
<b>Customs tariff number:</b>	85469010
<b>ETIM 6.0:</b>	EC001166

<b>ETIM 5.0:</b>	EC001166
<b>eCl@ss 8.0/8.1:</b>	27400607
<b>eCl@ss 7.0/7.1:</b>	27400607
<b>eCl@ss 6.0/6.1:</b>	27400607
<b>eCl@ss 5.1/5.1.4:</b>	27370302
<b>Product description:</b>	SV Busbar support, 3-pole, 60 mm bar centre distance, for busbar WH: 12x5-30x10 mm, (external attachment)
<b>Approvals</b>	
<b>Approvals:</b>	ABS DNV-GL Lloyds Register of Shipping
<b>Certificates:</b>	EAC
<b>Declarations:</b>	Declaration of conformity