

# Rittal – The System.

Faster – better – everywhere.

## Polycarbonate enclosures PK without knockouts – PK 9515.000

Date : Aug 2, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Polycarbonate enclosures PK without knockouts – PK 9515.000

created: 02.08.2017 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

|  |  |
|--|--|
| <b>Applications:</b>                             | Ambient temperature range: -35°C...+80°C<br>The specified temperatures may be limited by the installed equipment   |
| <b>Material:</b>                                 | Housing: Fibre-glass reinforced polycarbonate<br>Cover grey: Fibreglass-reinforced polycarbonate, all-round foamed-in PU seal<br>Cover screws: Polyamide<br>Insulating bungs: Polyethylene |
| <b>Colour:</b>                                   | RAL 7035   |
| <b>Protection category<br/>IP to IEC 60 529:</b> | IP 66  |
| <b>Protection category<br/>NEMA:</b>             | NEMA 4X  |
| <b>Supply includes:</b>                          | Enclosure with cover<br>Cover screws<br>Insulating bungs for wall mounting screws  |
| <b>Basic material:</b>                           | Polycarbonate  |

## Product features

|                    |  |
|--------------------|--|
| <b>Dimensions:</b> | Width: 180 mm<br>Height: 110 mm<br>Depth: 111 mm |
| <b>Cover:</b>      | grey   |

|                                    |  |
|------------------------------------|--|
| <b>Ambient temperature range:</b>  | -35°C...+80°C  |
| <b>Packs of:</b>                   | 2 pc(s).   |
| <b>Weight/pack:</b>                | 1.04 kg  |
| <b>EAN:</b>                        | 4028177139534  |
| <b>Customs tariff number:</b>      | 94037000   |
| <b>ETIM 6.0:</b>                   | EC000261   |
| <b>ETIM 5.0:</b>                   | EC002600   |
| <b>eCl@ss 8.0/8.1:</b>             | 27180101   |
| <b>eCl@ss 7.0/7.1:</b>             | 27180101   |
| <b>eCl@ss 6.0/6.1:</b>             | 27180101   |
| <b>eCl@ss 5.1/5.1.4:</b>           | 27180102   |
| <b>Product description (long):</b> | PK Polycarbonate enclosure, WHD: 180x110x111 mm, fibreglass-reinforced polycarbonate, without knockouts, with grey cover |
| <b>Approvals</b>                   |  |
| <b>Approvals:</b>                  | Bureau Veritas<br>C-UL<br>UL   |
| <b>Declarations:</b>               | Declaration of conformity  |