

# Rittal – The System.

Faster – better – everywhere.

## Busbars E-Cu with integral holes – SV 9661.320

Date : Jan 17, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Busbars E-Cu with integral holes – SV 9661.320

created: 17.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

**Description:** Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu.

**Material:** E-Cu

## Product features

**To fit:** Width: = 1200 mm

**Dimensions:** Length: 1165 mm

**Cross-section:** Flat copper bar width: 10 mm  
Flat copper bar thickness: 30 mm

**Diameter of hole:** 11 mm

**Weight/pack:** 6.33 kg

**ETIM 5.0:** EC000329

**eCl@ss 8.0/8.1:** 27400605

**eCl@ss 6.0/6.1:** 27400605

**Product description:** SV Busbar E-Cu, WH: 30x10 mm, L: 1165 mm, with integral holes Ø 11 mm

## Approvals

---

**Approvals:**

UL + C-UL

---

**Declarations:**

Declaration of conformity

---