Rittal - The System.

Faster – better – everywhere.

Compact enclosures AE Stainless steel – AE 1002.500

Date: Jul 25, 2017



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Spare parts - Compact enclosures AE Stainless steel – AE 1002.500

created: 25.07.2017 build on www.rittal.com/uk-en



Product description

Material: Enclosure: Stainless steel

Door: Stainless steel, all-round foamed-in PU seal

Mounting plate: Sheet steel Stainless steel 1.4404 (AISI 316L)

Lock insert: Stainless steel 1.4404 (AISI 316L)

Surface finish: Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 μm

Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

IP 66

Protection category

NEMA:

NEMA 4X

IK Code: IK08

Supply includes: Enclosure with door(s)

Mounting plate

Lock: 3 mm double-bit

Product modification: From August 2016, surface grinding will change from grain size 240 to grain size 400. The

visually refined grinding finish will also enhance the enclosure's cleaning properties.

Basic material: Stainless steel

Product features

Dimensions: Width: 200 mm

Height: 300 mm

© Rittal 2017

Depth: 155 mm

Width: 162 mm Mounting plate:

Height: 275 mm

Number of doors: 1

Cam Lock version:

1 Number of locks:

3 mm double-bit Lock insert:

Packs of: 1 pc(s).

Weight/pack: 4.1 kg

EAN: 4028177421257

Customs tariff number:

94032080

ETIM 6.0: EC000261

ETIM 5.0: EC000261

eCl@ss 8.0/8.1: 27180101

eCl@ss 7.0/7.1: 27180101

27180101 eCl@ss 6.0/6.1:

27180102 eCl@ss 5.1/5.1.4:

Product description

(long):

AE Compact enclosure, WHD: 200x300x155 mm, Stainless steel 1.4404, with mounting plate,

single-door, with one cam lock

Approvals

Approvals: **Bureau Veritas**

CSA DNV GL

Lloyds Register of Shipping

NA

Russian Maritime Register of Shipping

UL + C-UL TÜV

EAC **Certificates:**

IK-Code

Protection category

© Rittal 2017 2 **Declarations:**

Declaration of conformity

2017 © Rittal Ltd UK

© Rittal 2017

3