

Rittal – The System.

Faster – better – everywhere.

Ergoform-S lock system – KS 1490.010

Date : Feb 21, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Ergoform-S lock system – KS 1490.010

created: 21.02.2019 build on www.rittal.com/uk-en



Product description

Description:	The unlocked handle folds out forwards, and the lock is opened by swivelling.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Colour:	RAL 7035

Product features

Design:	Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
To fit:	Enclosure type: KS with 3-point lock
Packs of:	1 pc(s).
Weight/pack:	0.48 kg
EAN:	4028177526990
Customs tariff number:	83024110
ETIM 6.0:	EC000327
ETIM 5.0:	EC000327

eCl@ss 8.0/8.1:	27409217
eCl@ss 7.0/7.1:	27189266
eCl@ss 6.0/6.1:	27189266
eCl@ss 5.1/5.1.4:	27189220
Product description:	KS Ergoform-S lock system, Standard for KS plastic enclosure, RAL 7035
Approvals	
Certificates:	EAC