Rittal - The System.

Faster – better – everywhere.

Swing frame stay – SR 1980.200

Date: Nov 20, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Swing frame stay – SR 1980.200

created: 20.11.2019 build on www.rittal.com/uk-en



Design: with 180° hinge

Description: Secures the swing frame in the open position.

Product features

To fit: Enclosure type: VX

Enclosure type: TS Enclosure type: SE

Installation options: 8619270: For mounting on swing frame, large: at the top of the enclosure

1980200: Mounting on swing frame, large: at the bottom of the enclosure (with safety

catch at 160°)

8619270: For mounting on swing frame, small: may be fitted to the installation kit at the

top

Packs of: 1 pc(s).

Weight/pack: 0.66 kg

Copper weight (kg per piece):

0

EAN: 4028177013254

Customs tariff number:

73269098

ETIM 7.0: EC002626

ETIM 6.0: EC002626

© Rittal 2019

eCl@ss 8.0/8.1:	27189266
eCl@ss 6.0/6.1:	27189261
Product description:	SR Swing frame stay, with 180°-hinge
Approvals	
Certificates:	EAC

© Rittal 2019 2