

Rittal – The System.

Faster – better – everywhere.

Fold-out tray for keyboard and mouse – SZ 2379.800

Date : Oct 23, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Fold-out tray for keyboard and mouse – SZ 2379.800

created: 23.10.2019 build on www.rittal.com/uk-en



Product description

Description: For installation in 600 and 800 mm wide doors, 19" swing frames and enclosures. Standard double-bit lock insert may be exchanged for 41 mm lock inserts, type C.

Material: Flap: Sheet steel
Side parts: Cast aluminium
Tray: Extruded aluminium section

Surface finish: Flap, side parts: Textured paint
Tray: Natural anodised.

Colour: Flap, side parts: RAL 7035

**Protection category
IP to IEC 60 529:** IP 55

**Protection category
NEMA:** NEMA 12

Product features

Dimensions: Width: 682.6 mm
Height: 355 mm
Depth: 126 mm

To fit door width: 800 mm

**Keyboard
dimensions:** Width (max.): 605 mm
Height (max.): 50 mm
Depth (max.): 250 mm

Units: 8 U

Installation dimensions:	Installation depth: 93 mm
Packs of:	1 pc(s).
Weight/pack:	10.6 kg
Copper weight (kg per piece):	0
EAN:	4028177702059
Customs tariff number:	76169990
ETIM 6.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 6.0/6.1:	27189261
Product description:	SZ Fold-out tray for keyboard and mouse, for door W: 800 mm
Approvals	
Approvals:	UL + C-UL - FTTA
Certificates:	EAC Protection category
Declarations:	Declaration of conformity