

Rittal – The System.

Faster – better – everywhere.

► Interface extension with wall connection – SZ 2482.210

Date : Jan 22, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Interface extension with wall connection – SZ 2482.210

created: 22.01.2019 build on www.rittal.com/uk-en



Product description

Description: For extending the internal enclosure interfaces – e.g. from industrial PCs and switches – up to the outside of the enclosure. The wall connection only needs the same space as a switch.

Benefits: Rapid access for maintenance work
The protection category of the enclosure is preserved
The lock nut cuts automatically into the spray-finish, thereby creating a conductive connection.
Captive protective cap

Material: Enclosure: Brass
Cover: Aluminium
Seal: Polyamide

Surface finish: Enclosure: Nickel-plated
Cover: Natural anodised

Protection category IP to IEC 60 529: IP 66/67 with the protective cap closed

Product features

Dimensions: Length: 0.5 m

For material thicknesses: 1 mm - 6 mm

Packs of: 1 pc(s).

Weight/pack: 0.08 kg

EAN: 4028177516311

Customs tariff number:	85369095
ETIM 6.0:	EC001408
ETIM 5.0:	EC001408
eCl@ss 8.0/8.1:	19059205
eCl@ss 7.0/7.1:	27189190
eCl@ss 6.0/6.1:	27189190
eCl@ss 5.1/5.1.4:	27189238
Product description:	SZ Interface extension, with wallconnection, USB, L: 500 mm
Approvals	
Certificates:	EAC