

Rittal – The System.

Faster – better – everywhere.

► Wall mounting bracket for AX sheet steel, KX sheet steel, AX IT, EL – AX 2503.020

Date : Mar 2, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall mounting bracket for AX sheet steel, KX sheet steel, AX IT, EL – AX 2503.020

created: 02.03.2021 build on www.rittal.com/uk-en



Product description

Description:	Ideal for convenient one-person assembly of wall-mounted enclosures, even in confined spaces.
Benefits:	<p>Screw-fastened directly from the rear with a self-tapping screw into the enclosure eyelet</p> <p>Simply suspend the wall-mounted bracket from a screw in the wall</p> <p>Different mounting positions allow the wall mounting bracket to be tailored to local conditions on site.</p> <p>As an alternative to the self-tapping screw, the support may also be secured from the inside using a screw and nut</p> <p>Additional option of attaching with a nut for dynamic applications</p>
Material:	Sheet steel, zinc-plated
Supply includes:	Wall mounting bracket Assembly parts

Product description

To fit:	Enclosure type: AX sheet steel Enclosure type: KX sheet steel
Wall distance:	40 mm
Packs of:	4 pc(s).
Copper weight (kg per piece):	0
EAN:	4028177938274

Customs tariff number:	73182900
ETIM 7.0:	EC002625
ETIM 6.0:	EC002625
eCl@ss 8.0/8.1:	27189234
eCl@ss 6.0/6.1:	27182405
Product description:	SZ Wall mounting bracket, for AX and KX, sheet steel, wall distance: 40 mm
Approvals	
Approvals:	DNV-GL UL + C-UL