Rittal – The System.

Faster – better – everywhere.

Mini-comfort handle for AE with cam – SZ 2537.010

Date : Jan 23, 2019



ENCLOSURES

POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Mini-comfort handle for AE with cam – SZ 2537.010

created: 23.01.2019 build on www.rittal.com/uk-en



Product description	
Description:	Prepared for the installation of lock inserts or for the installation of standard commercially available 40 or 45 mm semi-cylinders, as well as lock and push-button inserts.
Material:	Die-cast zinc
Colour:	RAL 7035
Product features	
To fit:	Enclosure type: AE with cam Enclosure type: Wall-mounted enclosure AE with cam Enclosure type: Based on AE with cam Width: ≥ 300 mm Height: ≥ 380 mm
Installation options:	Vertical handle mounting from an enclosure height of 380 mm Horizontal handle mounting from an enclosure width of 300 mm From an enclosure height of 500 mm, the mini comfort handle may only be fitted horizontally on the lower lock point From an enclosure height of 600 mm, the mini-comfort handle may be fitted to the lower locking point, rotated through 180° in the vertical
Weight/pack:	0.51 kg
ETIM 5.0:	EC002626
eCl@ss 8.0/8.1:	27189266
eCl@ss 6.0/6.1:	27189266

Approvals	
Certificates:	EAC