

Rittal – The System.

Faster – better – everywhere.

Acrylic glazed cover – FT 2785.000

Date : Mar 15, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Acrylic glazed cover – FT 2785.000

created: 15.03.2017 build on www.rittal.com/uk-en



Product description

Description: With security lock, lock no. 3524 E

Material: Frame: Extruded aluminium sections with die-cast corner pieces
Glass panel: Smoked acrylic

**Protection category
IP to IEC 60 529:** IP 54

Supply includes: Hinges and assembly parts.
Lock insert no. 3524 E

Product features

Design: Metric

Dimensions: Width: 400 mm
Height: 400 mm
Depth: 47.5 mm

Viewing area: Width: 360 mm
Height: 379.5 mm

**Build depth for
components (max.):** 43 mm

Packs of: 1 pc(s).

Weight/pack: 2.2 kg

EAN: 4028177864733

Customs tariff number:	76101000
ETIM 6.0:	EC002527
ETIM 5.0:	EC002527
eCl@ss 8.0/8.1:	27182301
eCl@ss 7.0/7.1:	27182301
eCl@ss 6.0/6.1:	27182301
eCl@ss 5.1/5.1.4:	27182301
Approvals	
Certificates:	EAC

2017 © Rittal Ltd UK