

Rittal – The System.

Faster – better – everywhere.

Roof-mounted fan, roof vent – SK 3140.100

Date : Jan 15, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Roof-mounted fan, roof vent – SK 3140.100

created: 15.01.2019 build on www.rittal.com/uk-en



Product description

| | |
|--|---|
| Colour: | RAL 7035 |
| Protection category IP to IEC 60 529: | IP 21 without filter mat IP 55 including filter mat |
| Protection category NEMA: | with standard filter: NEMA 12 |
| Supply includes: | Complete unit ready to install, including filter mat |
| Note: | For energy-efficient operation of the fans, we recommend the use of thermostats or temperature displays |

Product features

| | |
|--|--|
| Air throughput (unimpeded air flow): | 873 m ³ /h |
| Air throughput, unimpeded air flow (without filter mats): | 873 m ³ /h / 965 m ³ /h |
| Air throughput, unimpeded air flow (with filter mats): | 725 m ³ /h / 759 m ³ /h |
| Rated operating voltage: | 230 V, 1~, 50 Hz/60 Hz |
| Dimensions: | Width: 400 mm Height: 133 mm Depth: 400 mm |
| Required mounting | Width: 258 mm |

| | |
|--|--|
| cut-out: | Depth: 258 mm |
| Installation depth: | 34.6 mm |
| Temperature range: | Bearing: -40°C...+70°C Operation (environment): -30°C...+55°C |
| Power consumption P_{sub-el-subcl}: | At 50 Hz: 98 W At 60 Hz: 130 W |
| Rated current (max.): | At 50 Hz: 0.43 A At 60 Hz: 0.56 A |
| Miniature circuit- breaker/fuse: | 6 A |
| Diagonal fan: | Radial, capacitor motor |
| Packs of: | 1 pc(s). |
| Weight/pack: | 6 kg |
| EAN: | 4028177709140 |
| Customs tariff number: | 84145915 |
| ETIM 6.0: | EC000320 |
| ETIM 5.0: | EC000320 |
| eCl@ss 8.0/8.1: | 27180716 |
| eCl@ss 7.0/7.1: | 27180716 |
| eCl@ss 6.0/6.1: | 27180716 |
| eCl@ss 5.1/5.1.4: | 27180707 |
| Product description: | SK roof-mounted fan TopTherm, 873/965 m³/h, 230 V, 1~, 50/60 Hz, WHD: 400 x 133 x 400 mm |

Approvals

Approvals: Approval overview
CSA
UL + C-UL - FTTA
UR + C-UR

Certificates: EAC

Declarations:Declaration of conformity
