

Rittal – The System.

Faster – better – everywhere.

Outlet filter EMC – SK 3238.060

Date : Nov 25, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet filter EMC – SK 3238.060

created: 25.11.2019 build on www.rittal.com/uk-en



Product description

Description:	For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.
Material:	ABS Material resistance to UL 94-5VA
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 54 including filter mat IP 55 with EMC filter mat and additional fine filter IP 56 with EMC filter mat and hose-proof hood
Supply includes:	Outlet filter Filter mat

Product features

Dimensions:	Width: 148.5 mm Height: 148.5 mm Depth: 24 mm
Required mounting cut-out:	Width: 124 mm Height: 124 mm
Packs of:	1 pc(s).
Weight/pack:	0.2 kg
EAN:	4028177651661

Customs tariff number:	39269097
ETIM 7.0:	EC002513
ETIM 6.0:	EC002513
eCl@ss 8.0/8.1:	27180706
eCl@ss 6.0/6.1:	27180706
Product description:	SK outlet filter, EMC, WHD: 148.5 x 148.5 x 24 mm
Approvals	
Approvals:	CSA UL + C-UL - FTTA UR + C-UR
Certificates:	EAC