

Rittal – The System.

Faster – better – everywhere.

► Hygienic Design Fire extinguisher enclosure HD – HD 4000.075

Date : Jan 26, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Hygienic Design Fire extinguisher enclosure HD – HD 4000.075

created: 26.01.2018 build on www.rittal.com/uk-en



The product is used in industry/IT projects.

Product description

Design: Roof angled forwards by 30°

Benefits: Hygienic, hose-proof storage of fire extinguishers
Time and cost savings thanks to simple, effective cleaning options
Fire extinguisher is easily removed with one hand thanks to the T handle
Quick inventory check with the integral viewing door

Material: Enclosure and door: Stainless steel 1.4301 (AISI 304)
Handle and lock: Stainless steel 1.4301 (AISI 304)
Viewing window: Polycarbonate
Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600

Surface finish: Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm
Seal: Blue, dyed (RAL 5010)

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
IP to DIN 40 050-9:** IP 59K

Supply includes: Enclosure of all-round solid construction
Door with viewing window and inserted seal
Interchangeable door hinge
T handle with 3-point lock system

Product features

Dimensions: Width: 390 mm
Height (front): 840 mm

Height (rear): 1010 mm
Depth: 300 mm

Viewing window:	Width: 190 mm Height: 670 mm
Packs of:	1 pc(s).
Weight/pack:	22 kg
EAN:	4028177918948
Customs tariff number:	94032080
ETIM 6.0:	EC000261
ETIM 5.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
eCl@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102