

Rittal – The System.

Faster – better – everywhere.

► Wiring plan lectern for TS, SE, CM, TP, PC – PS 4120.000

Date : Jan 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wiring plan lectern for VX, TS, SE, CM, TP, PC – PS 4120.000

created: 24.01.2019 build on www.rittal.com/uk-en



Product description

Description:	Holds wiring plans during fault-finding and maintenance work. Wiring plan lecterns may be bayed in line with the door width. For mounting on the tubular door frame or on the perforated door strip.
Material:	Utility lectern: Polypropylene Mounting bracket: Die-cast zinc
Colour:	Similar to RAL 7035
Supply includes:	Assembly parts

Product features

To fit:	Enclosure type: VX Enclosure type: TS Enclosure type: SE Enclosure type: CM Enclosure type: TP Enclosure type: PC
Dimensions:	Width: 207 mm Height: 365 mm Depth: 24 mm
Installation options:	On the tubular door frame Door width 400/500 mm = 1 wiring plan lectern Door width 600 mm = 2 wiring plan lecterns Door width 800 mm = 2 -3 wiring plan lecterns Door width 1000 mm = 3 wiring plan lecterns

To fit door width: 400 mm
500 mm
600 mm
800 mm
1000 mm

Packs of: 1 pc(s).

Weight/pack: 0.88 kg

EAN: 4028177091887

Customs tariff number: 39269097

ETIM 6.0: EC000317

ETIM 5.0: EC000317

eCl@ss 8.0/8.1: 27189267

eCl@ss 7.0/7.1: 27189267

eCl@ss 6.0/6.1: 27189267

eCl@ss 5.1/5.1.4: 27189201

Product description: PS Wiring plan lectern, for TS, CM, SE, PC, TP, for door width: 400 mm
