

Rittal – The System.

Faster – better – everywhere.

► Door stay for escape routes for TS, SE, PC – TS 4583.500

Date : Feb 21, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Door stay for escape routes for TS, SE, PC – TS 4583.500

created: 21.02.2019 build on www.rittal.com/uk-en



Product description

Description: In case of an emergency, conventional door stays can block the escape route. This stay is actuated automatically in the event of pressure, releasing the door in both directions. In conjunction with 180° hinges, this ensures that no escape routes are blocked by open doors in the event of an emergency.

Supply includes: Assembly parts

Product features

Installation options: TS sheet steel/stainless steel doors with tubular door frames

Packs of: 1 pc(s).

Weight/pack: 0.38 kg

EAN: 4028177576322

Customs tariff number: 83024900

ETIM 6.0: EC002626

ETIM 5.0: EC002626

eCl@ss 8.0/8.1: 27189234

eCl@ss 7.0/7.1: 27189234

eCl@ss 6.0/6.1: 27189234

eCl@ss 5.1/5.1.4: 27189252

Product description: TS Door stay for escape routes, for TS, SE, PC
