

# Rittal – The System.

Faster – better – everywhere.

## ► Tilting adaptor $\pm 45^\circ$ for support arm connection $\varnothing 130$ mm – CP 6206.420

Date : Jan 29, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Tilting adaptor $\pm 45^\circ$ for support arm connection $\varnothing$ 130 mm – CP 6206.420

created: 29.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Benefits:</b>	The inner toothed hinge allows stable locking of the tilted enclosure in a variety of positions. By inserting the grub screws (supplied loose), the rotation range can be limited.
<b>Applications:</b>	For connecting a command panel to a tilting adaptor Coupling CP 60/120/180 for support arm connection $\varnothing$ 130 mm, 6206.300, 6212.300, 6218.300 Attachment CP 60/120 for support arm connection $\varnothing$ 130 mm, 6206.320, 6212.320 Angle coupling 90°, CP 60/120, 6206.380, 6212.380
<b>Material:</b>	Tilting adaptor: Cast aluminium Concertina section: Plastic
<b>Colour:</b>	RAL 7024
<b>Supply includes:</b>	Seals Concertina section Assembly parts

## Product features

<b>Rotating/tilting:</b>	yes
<b>Tilting angle:</b>	Note: Adjustable in 7.5° increments
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	1.2 kg

**EAN:** 4028177684447

---

**Customs tariff number:** 76169990

---

**ETIM 6.0:** EC000882

---

**ETIM 5.0:** EC002620

---

**eCl@ss 8.0/8.1:** 27400556

---

**eCl@ss 7.0/7.1:** 27189261

---

**eCl@ss 6.0/6.1:** 27189261

---

**eCl@ss 5.1/5.1.4:** 27189247

---

**Product description:** CP Tilting adaptor 45°, CP 60/120, for support arm connection Ø 130 mm

---

## Approvals

---

**Declarations:** Manufacturer's declaration

---