

Rittal – The System.

Faster – better – everywhere.

► Coupling CP 40, stainless steel – CP 6664.000

Date : Feb 20, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Coupling CP 40, stainless steel – CP 6664.000

created: 20.02.2019 build on www.rittal.com/uk-en



Product description

Design: Coupling CP 40, stainless steel

Material: Stainless steel 1.4305 (AISI 303)

**Protection category
IP to IEC 60 529:** IP 69K

Product features

Rotating/tilting: yes

Rotation range: Approx. 350°, lockable via knurled screws

Packs of: 1 pc(s).

Weight/pack: 1.1 kg

EAN: 4028177122260

**Customs tariff
number:** 73269098

ETIM 6.0: EC000882

ETIM 5.0: EC000882

eCl@ss 8.0/8.1: 27400556

eCl@ss 7.0/7.1: 27189261

eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description:	CP Coupling CP 40, stainless steel, 1.4305
Approvals	
Declarations:	Manufacturer's declaration