Rittal - The System.

Faster – better – everywhere.


Cast aluminium enclosures GA – GA 9108.210

Date: Jul 31, 2017



Cast aluminium enclosures GA - GA 9108.210

created: 31.07.2017 build on www.rittal.com/uk-en



D a	4	!	4:
Prod	luct de	SCrip	tion

Material: Enclosure: Cast aluminium

Cover: Cast aluminium, all-round CR cellular rubber cord seal

Surface finish: Textured paint

Colour: RAL 7001

Protection category IP to IEC 60 529:

IP 66

Protection category NEMA:

NEMA 4

IK Code:

IK08

Supply includes:

Enclosure with cover Cover screws, captive

Screws for attaching support rails

Screw for connection of the PE conductor

Product modification:

From September 2016, GA housings are delivered in an optimised design

Your benefit: The KL wall brackets (1590000 and 1594000) may be used for wall-mounting the

1

GA enclosures

The enclosures have a Rittal logo on the lid and carry the CE label

Basic material: Cast aluminium

Product features

Dimensions: Width: 122 mm

Height: 120 mm

© Rittal 2017

Packs of:	1 pc(s).
Weight/pack:	0.94 kg
EAN:	4028177145405
Customs tariff number:	85389099
ETIM 6.0:	EC000261
ETIM 5.0:	EC000058
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
e CI@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102
Product description (long):	GA Cast aluminium enclosure, WHD: 122x120x80 mm, Cast aluminum, without mounting plate, with cover
Approvals	
Certificates:	IK-Code Protection category
Declarations:	Declaration of conformity

2017 © Rittal Ltd UK

© Rittal 2017 2