









Other Accessories

	Description	PQ	Key No. (Std)	Cat. No.	Key No. (Std)	Cat. No.
 Cat. No. 800F-AKR3825	<b>Replacement Ronis Key</b> Standard replacement key is Cat. No. 800F-AKR3825.	1*	3825	<b>800F-AKR3825</b>	3910*	<b>800F-AKR3910</b>
			455	<b>800F-AKR455</b>	3920*	800F-AKR3920
			3801	<b>800F-AKR3801</b>	4001	<b>800F-AKR4001</b>
			3802	<b>800F-AKR3802</b>	4002	800F-AKR4002
			3803	<b>800F-AKR3803</b>	4003	800F-AKR4003
			3804	800F-AKR3804	4004	800F-AKR4004
			3805	800F-AKR3805	4005	800F-AKR4005
			3806	800F-AKR3806	4006	800F-AKR4006
			3901*	<b>800F-AKR3901</b>	4007	800F-AKR4007
	Description			Volts	PQ	Cat. No.
 Cat. No. 800F-XD7	<b>Diode Module</b> For lamp checking circuits. Latch not included.			up to 600V AC	10‡	<b>800F-XD7</b>
	<b>Null Block</b> For wire terminations only.					800F-NX70
	Description				PQ	Cat. No.
 Cat. No. 800F-30WN	<b>Potentiometer Legend Plate</b> Scale 1...10				10‡	<b>800F-30WN</b>
 Cat. No. 800F-30WG	<b>Potentiometer Legend Plate</b> Graphical scale					
	Description			Resistance	PQ	Cat. No.
 Cat. No. 800F-AC1	<b>Replacement Resistive Elements</b> for the 800FP Potentiometer operator.			150 Ω	1	800F-AC1
				500 Ω		800F-AC2
				1000 Ω		800F-AC3
				2500 Ω		800F-AC4
				5000 Ω		<b>800F-AC5</b>
				10000 Ω		<b>800F-AC6</b>

PQ = Pkg. Quantity  
 \* Master key. See page 10-83 for details.  
 † Standard package quantity is one set with two keys.  
 ‡ Sold only in multiples of 10. Order (quantity of) 10 to receive one package of 10 pieces.

Replacement Lamps for Incandescent Module

Lamp	Type	Typical Current	Voltage	ANSI No.	Pkg. Quantity	Cat. No.	
 Cat. No. 800F-N130	Full Voltage Incandescent	150 mA	6V AC/DC	755	10§	<b>800F-N65</b>	
		80 mA	12V AC/DC	756		800F-N141	
		70 mA	24V AC/DC	757		<b>800F-N157</b>	
		50 mA	48V AC/DC	1835		<b>800F-N48</b>	
		22 mA	130V AC/DC	949		<b>800F-N130</b>	
 Cat. No. 800F-N240	Neon	2 mA	240V AC	—			<b>800F-N240</b>
	LED	50 mA	6V AC/DC	—			♣ 800T-N318x
		12 mA/17 mA	32V AC/DC	—			♣ 800T-N363x
		9 mA/14 mA	48V AC/DC	—			♣ 800T-N364x
		4.5 mA/6.2 mA	130V AC/DC	—			♣ 800T-N321x

§ Sold in multiples of 10. Order (quantity of) 10 to receive one package of 10 pieces.  
 ♣ To complete the cat. no., replace the x with one of the following letters for the desired color: **A** = Amber; **B** = Blue; **G** = Green; **R** = Red; **W** = White. White LEDs only available in 6V and 130V.


# 22.5 mm Push Buttons

## Accessories


### Caps, Diffusers, Lenses

Color caps listed below are for completion of devices ordered with color caps omitted.


#### Accessory Color Caps (without Text)

	Color Caps, Non-Illuminated*				
	Color	Pkg. Quantity	Momentary Extended	Momentary Flush/Guarded	Alternate Action Flush
			Cat. No.	Cat. No.	Cat. No.
	Orange	10	800F-AE0	800F-AF0	800F-AFA0
	White		800F-AE1	800F-AF1	800F-AFA1
	Black		800F-AE2	800F-AF2	800F-AFA2
	Green		800F-AE3	800F-AF3	800F-AFA3
	Red		800F-AE4	800F-AF4	800F-AFA4
	Yellow		800F-AE5	800F-AF5	800F-AFA5
	Blue		800F-AE6	800F-AF6	800F-AFA6
	Grey		—	800F-AF8	—

#### Accessory Color Caps — Multi-Function Operators (without Text)

	Color Caps, Non-Illuminated*			
	Color	Pkg. Quantity	Flush	Extended
			Cat. No.	Cat. No.
	White	10	800F-AFU1	800F-AEU1
	Black		800F-AFU2	800F-AEU2
	Green		800F-AFU3	800F-AEU3
	Red		800F-AFU4	800F-AEU4
	Yellow		800F-AFU5	800F-AEU5
	Blue		800F-AFU6	800F-AEU6


#### Accessory Color Lens Caps and Pilot Light Lenses (without Text)

	Color	Pkg. Quantity	Illuminated Color Lens Caps* — Flush, Alternate Action	Illuminated Color Lens Caps* — Extended, Guarded	Pilot Light Lenses** — Standard Lens
			Cat. No.	Cat. No.	Cat. No.
	Amber	10	800F-ALF0	800F-ALE0	800F-AP0
	Green		800F-ALF3	800F-ALE3	800F-AP3
	Red		800F-ALF4	800F-ALE4	800F-AP4
	Yellow		800F-ALF5	800F-ALE5	800F-AP5
	Blue		800F-ALF6	800F-ALE6	800F-AP6
	Clear		800F-ALF7	800F-ALE7	800F-AP7

\* Sold only in multiples of 10. Order (quantity of) 10 to receive one package of 10 pieces.

\*\* Includes diffuser.

#### Operator Diffusers (without Text)

	Diffusers		
	Description	Pkg. Quantity	Cat. No.
 <p>Cat. No. 800F-AD3</p>	Illuminated Push Buttons — Flush	10	800F-AD2
	Pilot Lights		800F-AD3
	Illuminated Push Buttons — Extended, Guarded		800F-AD4

10



Two-Color Molded Legend Caps — Non-Illuminated Push Buttons

800F – AF    3    01  
                   a            b            c



Cat. No. 800F-15YSE112

**a**

Button Cap Type	
Code	Description
AF	Flush
AE	Extended

**b**

Color Cap	
Code	Description
1	White
2	Black
3	Green
4	Red
5	Yellow
6	Blue

**c**


Legend Text*†	
English	
Code	Description
01	START
02	STOP
05	O
06	I
08	→
09	FORWARD*
10	REVERSE*
11	R

\* Available in flush only.  
 \* White and yellow caps have black text. All other color caps have white text.  
 † Valid color cap text codes include:

Color	Text	
	Flush Caps	Extended Caps
White	FORWARD, REVERSE, START, I, →, R	→, R
Black	FORWARD, REVERSE, →, R	STOP, O, →, R
Green	FORWARD, REVERSE, START, I, →	→
Red	FORWARD, REVERSE, STOP, O, →	STOP, O, →
Yellow	FORWARD, REVERSE, →	→
Blue	FORWARD, REVERSE, →, R	→, R

Emergency Stop Legend Plates§

800F – 15YS              
                   a            b



**a**

Size/Color (Yellow)	
Code	Description
15Y	60 mm round (30.5 mm mounting hole)
15YS	60 mm round (22.5 mm mounting hole)➤
16Y	90 mm round (22.5 mm mounting hole)➤

**b**

Text	
Code	Description
Blank	No text
E112	EMERGENCY STOP
F112	ARRÊT D'URGENCE‡
S112	PARADA DE EMERGENCIA
G112	NOT HALT
T112	ARRESTO EMERGENZA
N112	NÖDSTOPP, EMERGENCY STOP‡

**b (cont'd)**

Text	
Code	Description
W112	NÖDSTOPP, EMERGENCY STOP‡
A112	NÖDSTOP
B112	EMERGENCY STOP, ARRÊT D'URGENCE, PARADA DE EMERGENCIA‡
D112	NOODSTOP‡
M112	NOT HALT, ARRESTO EMERGENZA, ARRÊT D'URGENCE➤
	EMERGENCY STOP, ARRÊT D'URGENCE, NOT HALT❖
L112	NEYDARSTOPP, NEYDARSTOPP‡
H112	NÖD-STOP, HÄTÄ-SEIS, NÖD-STOP‡

§ Sold only multiples of 10. Order (quantity of) 10 to receive one package of 10 pieces.  
 ➤ Not for use with base mounted contact blocks.  
 ‡ Not available on 15YS version.  
 ➤ Text printed on the 15Y version only.  
 ❖ Text printed on the 15YS & 16Y versions only.



# 22.5 mm Push Buttons

## Accessories

### Legend Plates

#### Ordering Information\*§

#### Standard Text/Symbols

1. Select the cat. no. for the appropriate legend size and color from the Selection Tables on this page.
2. Complete the cat. no. by adding the appropriate suffix no. selected from pages 10-116...10-119. Font size is automatically determined by the number of characters, as shown in the following table. Do not add the font code to the cat. no.

Font Size	No. of Characters		
	One-Piece Legend Plate	Two-Piece Legend Plate	Special Multi-Function Legend Plate
K (small)	>14	>13	>6
S (standard)	≤14	≤13	≤6

Example: **Cat. No. 800F-11WE101** identifies a white, 30 x 40 mm snap-in legend plate and frame with AUTO engraved on it.



#### Custom Text (text found on pages 10-116...10-119)

1. Select the cat. no. for the appropriate legend size and color from the Selection Tables on this page.
2. Add **E100** followed by the font code (K, S, L) from the following table.


Font Size	Type of Legend Plate							
	One-Piece						Special Multi-Function	
	Max. Char. per Line	Max. No. of Lines		Max. Char. per Line	Max. No. of Lines		Max. Char. per Line	Max. No. of Lines
		30 x 40 mm	30 x 50 mm		30 x 40 mm	30 x 50 mm or 30 x 60 mm		
K (small)	16	2	5	15	2	5	7	3
S (standard)	14	2	3	13	1	3	6	3
L (large)	10	1	3	9	1	3	4	2

3. Complete the cat. no. by adding custom text to the order item's memo text or notes field.

Example: **Cat. No. 800F-12WE100K**, with **STARTER** text entered into memo text on order, identifies a white, 30 x 50 mm snap-in legend plate and frame with custom text STARTER engraved in small font.



### Selection Tables\*



Type	Description	Cat. No. (Blank)	Cat. No. (with Text Symbols)
30 x 40 mm 2-piece snap-in plate and frame	Red with white text	800F-11RE100	800F-11R□□□□
	White with black text	<b>800F-11WE100</b>	800F-11W□□□□
	Black with white text	<b>800F-11BE100</b>	800F-11B□□□□
30 x 50 mm 2-piece snap-in plate and frame	Aluminum with black text	800F-11AE100	800F-11A□□□□
	White with black text	<b>800F-12WE100</b>	800F-12W□□□□
	Black with white text	<b>800F-12BE100</b>	800F-12B□□□□
30 x 60 mm 2-piece snap-in plate and frame	Aluminum with black text	800F-12AE100	800F-12A□□□□
	White with black text	800F-20WE100	800F-20W□□□□
	Black with white text	800F-20BE100	800F-20B□□□□
Special multi-function 4-piece snap-in plates and frame	Aluminum with black text	800F-20AE100	800F-20A□□□□
	White with black text	800F-40WE100	—
	Black with white text	800F-40BE100	—
30 x 40 mm 1-piece	Aluminum with black text	800F-40AE100	—
	Red with white text	800F-34RE100	800F-34R□□□□
	White with black text	<b>800F-34WE100</b>	800F-34W□□□□
30 x 50 mm 1-piece	Black with white text	<b>800F-34BE100</b>	800F-34B□□□□
	Aluminum with black text	<b>800F-34AE100</b>	800F-34A□□□□
	Red with white text	<b>800F-35RE100</b>	800F-35R□□□□
30 x 40 mm snap-in plate only	White with black text	<b>800F-35WE100</b>	800F-35W□□□□
	Black with white text	<b>800F-35BE100</b>	800F-35B□□□□
	Aluminum with black text	<b>800F-35AE100</b>	800F-35A□□□□
30 x 50 mm snap-in plate only	Red with white text	800F-17RE100	800F-17R□□□□
	White with black text	<b>800F-17WE100</b>	800F-17W□□□□
	Black with white text	800F-17BE100	800F-17B□□□□
30 x 66 mm 1-piece	Aluminum with black text	800F-17AE100	800F-17A□□□□
	White with black text	800F-18WE100	800F-18W□□□□
	Black with white text	<b>800F-18BE100</b>	800F-18B□□□□
Special multi-function snap-in plate only‡	Aluminum with black text	800F-18AE100	800F-18A□□□□
	White with black text	800F-42WE100	800F-42W□□□□
	Black with white text	800F-42BE100	800F-42B□□□□
30 x 50 mm 1-piece	Aluminum with black text	800F-42AE100	800F-42A□□□□
	Yellow with black text	800F-37YE100	800F-37Y□□□□

#### Legend Plate Frame — 2-Piece Snap-In\*

Type	Cat. No.	Type	Cat. No.
30 x 40 mm	<b>800F-110</b>	30 x 60 mm	<b>800F-200</b>
30 x 50 mm	<b>800F-120</b>	Special multi-function‡	800F-400

\* Blank legend frames sold only in multiples of 10. Order (quantity of) 10 to receive one package of 10 pieces. Legends with standard text/symbols or custom text are packaged in quantities of 1.

§ Font code **K** = 0.08 in; font code **S** = 0.10 in; font code **L** = 0.14 in.

‡ Three snap-in plates are required for each legend frame.

§ For configuration assistance, see RAISE product selection software.

\* Plate dimensions found on pages 10-122...10-123.

