

## EU Declaration of Conformity

---

<b>Product:</b>	<b>IEC Spring Clamp Connection Terminal Blocks</b>	
-----------------	--	--

---

<b>Name and address of the manufacturer:</b> <b>Rockwell Automation Inc.</b> <b>1201 South 2nd Street</b> <b>Milwaukee, WI 53204</b> <b>U.S.A.</b>	<b>Name and address of the authorised representative:</b> <b>Rockwell Automation B.V.</b> <b>Rivium Promenade 160</b> <b>2909 LM Capelle aan den IJssel</b> <b>The Netherlands</b>
--	--

---

*This declaration of conformity is issued under the sole responsibility of the manufacturer.*

---

<b>Object of the declaration:</b>	<b>Allen-Bradley 1492-L Series</b> <i>(reference the attached list of catalogue numbers)</i>	
-----------------------------------	---	--

---

*The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:*

2014/35/EU	Low Voltage Directive	(LVD)
2014/34/EU	ATEX Directive	(ATEX)
2011/65/EU	RoHS Directive	(RoHS)

---

*References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:*

EN 60947-1:2007	Low-voltage switchgear and controlgear – Part 1: General rules
EN 60947-7-1:2002	Low-voltage switchgear and controlgear – Part 7-1: Terminal blocks for copper conductors
EN 60947-7-2:2002	Low-voltage switchgear and controlgear – Part 7-2: Protective conductor terminal blocks for copper conductors
EN 60079-0:2006	Electrical apparatus for potentially explosive atmospheres – Part 0: General requirements
EN 60079-7:2007	Electrical apparatus for potentially explosive atmospheres – Part 7: Increased safety ‘e’
EN 61241-0:2006	Electrical apparatus for use in the presence of combustible dust – Part 0: General requirements
EN 61241-1:2004	Electrical apparatus for use in the presence of combustible dust – Part 1: Protection by enclosures “tD”
EN 50581: 2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

---

<b>Notified Body:</b>	<b>KEMA</b> <b>Utrechtseweg 310</b> <b>Arnhem 6800 ET, Netherlands</b>	
<b>performed:</b> <b>and issued the certificate(s):</b>	<b>EC Type Examination</b> <b>KEMA 03ATEX2084U</b>	

---

**Additional information:**

<b>ATEX Markings:</b>	<b>II 2 G D Ex e II</b>	
-----------------------	-------------------------	--

---

*Signed for and on behalf of the above named manufacturer:*

<b>Place and date of issue:</b>	<b>Milwaukee, WI USA</b>	<b>20-July-2017</b>
<b>Name, function:</b>	<b>Daniel L. Nachtigall, Technical Leader – Product Certification Engineering</b>	
<b>Signature:</b>		

---

Catalogue number <sup>1,2</sup>	Series <sup>3</sup>	Description	Directive <sup>4</sup>			
			LVD (EN 60947-7- 1)	LVD (EN 60947-7- 2)	ATEX <sup>5</sup>	RoHS
1492-L2		1.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L2Q		1.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L2T		1.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L31P		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-L3P		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-L3Q		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L3Q2P		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-L3QS		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L3T		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L3T1P		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-L4		4 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L4Q		4 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L4T		4 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L6		6 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L6T		6 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L10		10 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L16		16 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-L16D		16 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-L35		35 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LC3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD2		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD2C		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LD3C		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LD3N		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD32P		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4C		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4DF		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4DR		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4RB		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LD4SS		4 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LDAG3		2.5 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LDC3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LDG2		1.5 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LDG2C		1.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes
1492-LDG3		2.5 mm <sup>2</sup> terminal block	Yes	Yes	Yes	Yes
1492-LDG3C		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LDG3N		2.5 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LDG3ND		2.5 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LDG3P		2.5 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes

- 1) Catalogue numbers may be followed by additional suffixes to denote colour.
- 2) An '\*' denotes special features that do not impact the essential requirements of the EC Directives cited.
- 3) If no series number is given, then all series are covered.
- 4) No = Product is not certified to this directive.  
Yes = Product is certified to this directive.  
N/R = This directive is not required for this product.
- 5) This product is an ATEX component as defined in Directive 2014/34/EU

Catalogue number <sup>1,2</sup>	Series <sup>3</sup>	Description	Directive <sup>4</sup>			
			LVD (EN 60947-7-1)	LVD (EN 60947- 7-2)	ATEX <sup>5</sup>	RoHS
1492-LDG4		4 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LDG4C		4 mm <sup>2</sup> terminal block	Yes	Yes	No	Yes
1492-LG2		1.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG2Q		1.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG2T		1.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG3		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG31P		2.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes
1492-LG3Q		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG3T		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG31TP		2.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes
1492-LG4		4 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG4Q		4 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG4T		4 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG6		6 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG6T		6 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG10		10 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG16		16 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LG35		35 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LKD3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LM3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LM3Q		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LMG3		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LMJ3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LMJG3		2.5 mm <sup>2</sup> terminal block	N/R	Yes	Yes	Yes
1492-LMP3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LMP3E		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LMP3Q		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LMP3QE		2.5 mm <sup>2</sup> terminal block	Yes	N/R	Yes	Yes
1492-LS2-3		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LS2-3L		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LS2-4		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LS2-4L		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LS2-B		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LS2-BR		1.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LSG2		1.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes

- 1) Catalogue numbers may be followed by additional suffixes to denote colour.
- 2) An '\*' denotes special features that do not impact the essential requirements of the EC Directives cited.
- 3) If no series number is given, then all series are covered.
- 4) No = Product is not certified to this directive.  
Yes = Product is certified to this directive.  
N/R = This directive is not required for this product.
- 5) This product is an ATEX component as defined in Directive 2014/34/EU

Catalogue number <sup>1,2</sup>	Series <sup>3</sup>	Description	Directive <sup>4</sup>			
			LVD (EN 60947-7-1)	LVD (EN 60947-7-2)	ATEX <sup>5</sup>	RoHS
1492-LSG2-3		1.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes
1492-LSG2-4		1.5 mm <sup>2</sup> terminal block	N/R	Yes	No	Yes
1492-LTF3		2.5 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LAFB6		6 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
1492-LAFB624		6 mm <sup>2</sup> terminal block	Yes	N/R	No	Yes
<b>Factory/Field Installed Accessories</b>						
1492-DR*		DIN mounting rail	N/R	N/R	N/R	Yes
1492-EBJ*		End barrier	N/R	N/R	N/R	Yes
1492-EAJ*		End anchor	N/R	N/R	N/R	Yes
1492-EAHJ*		End anchor	N/R	N/R	N/R	Yes
1492-ERL*		End anchor	N/R	N/R	N/R	Yes
1492-PPJ*		Partition plate	N/R	N/R	N/R	Yes
1492-CJJ*		Terminal jumper	N/R	N/R	N/R	Yes
1492-SJ*		Side jumper	N/R	N/R	N/R	Yes
1492-CPL		Disconnect plug	N/R	N/R	N/R	Yes
1492-DPL		Disconnect plug	N/R	N/R	N/R	Yes
1492-FPK*		Fuse plug	N/R	N/R	N/R	Yes
1492-J70A		Auxiliary circuit tap for 1492-J70	N/R	N/R	N/R	Yes
1492-TA*		Test plug adapter	N/R	N/R	N/R	Yes
1492-TP*		Test plug	N/R	N/R	N/R	Yes
1492-TPL*		Test plug	N/R	N/R	N/R	Yes
1492-STP*		Plug-in connector	N/R	N/R	N/R	Yes
1492-STP-G		Plug-in connector	N/R	N/R	N/R	Yes
1492-SBSTP		Plug-in connector	N/R	N/R	N/R	Yes
1492-GSTP		Plug-in connector	N/R	N/R	N/R	Yes
1492-EBSTP		Plug-in connector	N/R	N/R	N/R	Yes

- 1) Catalogue numbers may be followed by additional suffixes to denote colour.
- 2) An '\*' denotes special features that do not impact the essential requirements of the EC Directives cited.
- 3) If no series number is given, then all series are covered.
- 4) No = Product is not certified to this directive.  
Yes = Product is certified to this directive.  
N/R = This directive is not required for this product.
- 5) This product is an ATEX component as defined in Directive 2014/34/EU

**Special Conditions For Safe Use:**

Installation, maintenance and use shall be in accordance with:

1. The information specified in the attached certificate for this product; and
2. The relevant Rockwell Automation product documentation.