VersaView 5000 Industrial Computer Portfolio

Modern, Open Architecture Industrial Computers and Thin Clients

The Allen-Bradley[®] VersaView[®] 5000 portfolio is a complete line of open architecture industrial PCs, thin clients, and monitors. Offerings include integrated modern edge-to-edge all-glass displays and compact non-display models. The VersaView 5000 platform can be used for both standalone machine level and distributed HMI applications.

The open architecture supports modern operating systems and various software applications, but the ideal deployment is to use FactoryTalk[®] View SE software for distributed applications. The line is completely fanless and maintenance free to reduce costly machine downtime.



FactoryTalk View Site Edition

Supervisory-level HMI Software for Multi-user Applications

To meet plant floor expectations, HMI software must meet the demands of multiple stakeholders. FactoryTalk View SE is the ideal software platform to use on VersaView computers for distributed applications.

- Engineering and Maintenance demands to guickly develop applications, scale architectures, and easily maintain systems once deployed.
- Operations demands easy to understand display screens, guick access to alarming, and system-wide diagnostics.
- Production Information Technology (IT) demands system-wide security, web capabilities, highly available systems and alignment with virtualized solutions.

FactoryTalk View Site Edition (SE) meets the demands of each of these groups, providing robust and reliable functionality in a single software package. With FactoryTalk View SE, HMI challenges in process, batch and discrete applications are managed in a single software solution that enables critical visibility in real-time when and where you need it. Additionally, the VersaView 5000 computers are 21CFR Part 11 compliant when using FactoryTalk View SE software.

Allen-Bradlev • Rockwell Software



VersaView 5400 Integrated Display Computers

An edgeless, all glass, ten-point multi-touch screen keeps the VersaView 5400 Integrated Display Computers cleaner and helps them respond better to users.

- Boots quickly into your application
- Windows 7/WES 7/Windows 10 IoT Enterprise 32 bit and 64 bit operating systems
- Dual external display support
- Available in 12 in., 15 in., 19 in., 22 in. all wide screen orientation
- Full high-definition resolution is available at 1920 x 1080
- Plant PAx and FactoryTalk View SE templates perfectly fit the 1080p screen, allowing identical screens to be shared between the control room and the machine

Non-Display Industrial Computer

The VersaView 5400 non-display computers offer a small footprint, dual video output and a light weight, fanless design. They provide multiple mounting options, including DIN Rail. With the same performance as the integrated display computers and the flexibility to load a variety of software applications, the non-display computers

are well-suited for many applications.





For line and machine application flexibility, the new VersaView 5000 industrial computers provide leading edge technology for those who are looking for an open platform to enhance their

VersaView 5200 Panel and Box Thin Clients


Manage Multiple Computers with Centralized Management Solutions

With the same modern design as the VersaView 5400 computers, the VersaView 5200 thin clients also offer both panel and non-display versions. However, the VersaView 5200 thin client versions have no operating system and are ideal for distributed applications. The thin client computers are used for remote access to a server, where the thin client depends on the main server to fulfill its role. You can have many thin client computers set up across your plant or facility with various roles, but all can be maintained by that main server.

The VersaView 5200 Thin Client computers are ThinManager® ready for centralized management solutions for modern plants. Using the VersaView 5200 computer hardware with ThinManager software allows control and security in a sustainable and scalable platform regardless of the size of your industrial environment or number of facilities.

- The ThinManager thin client architecture allows for deployment of less expensive hardware while giving users the applications and tools familiar to them in a format that reduces management and hardware costs while increasing security.
- ThinManager will seamlessly integrate with your current programmable controllers and operator interfaces while providing a number of features, tool and methods of access which make it simple to monitor and adjust user sessions from anywhere.
- Using ThinManager with VersaView 5200 hardware, you will receive custom, premier ThinManager features.









VersaView 5000 Industrial Computer Specifications

	Monitors VersaView 5100 Monitors	Thin Clients			Industrial Com	
Attribute		VersaView 5200 Display Thin Clients	VersaView 5200 Non-Display Thin Client		VersaView 5400 Integrated Display Computers	
External Display Output	N/A	Single	Single	Dual	Single	
CPU	N/A	Single core Intel Atom E3815		Quad core Intel Ato		
RAM	N/A		2GB		4G	В
SSD	N/A	N/A	N/A		128GB	
Touchscreen	Projected Capacitive Multi-touch	Projected Capacitive Multi-touch	N/A	N The second sec	Projected Capacitive Multi-touch	
Display Size & Resolution	12-in: 1280x800 15-in & 19-in: 1366x768 22-in: 1920x1080	12-in: 1280x800 15-in & 19-in: 1366x768 22-in: 1920x1080	N/A	A.	12-in: 1280x800 15-in & 19-in: 1366x768 22-in: 1920x1080	
Thermal Solution		Fanless				
Operating System	N/A		ThinManager		Windows 7/WES 7/W	
Power	24	4V DC	100-240V AC external adapter included	24V DC	24V DC	
Operating Temperature	0 ℃ 50 ℃	0 ℃ 50 ℃	0 ℃ 50 ℃	-20 °C 60 °C	0 °C 50 °C	
Certifications/Regulations	CE, cULus Listed, EAC, KC, and RCM					
Mounting Options	Panel & VESA Mount	Panel & VESA Mount	Wall, VESA Mou Bookshelf, I		Panel & VESA Mount	

Allen-Bradley, LISTEN. THINK. SOLVE., FactoryTalk, PlantPAx, Rockwell Software, and VersaView are trademarks of Rockwell Automation, Inc. All other trademarks and registered trademarks are the property of their respective owners.

www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204-2496 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444 Europe/Middle East/Africa: Rockwell Automation NV, Pegasus Park, De Kleetlaan 12a, 1831 Diegem, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640 Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846

Publication 6200-PP001B-EN-P – May 2018 Supersedes 6200-PP001A-EN-P - November 2016 Copyright © 2018 Rockwell Automation, Inc. All Rights Reserved. Printed in USA.

mputers	
Ν	VersaView 5400 Ion-Display Computers
	Dual
tom E3845	5
3	
	N/A
	N/A
/Windows [·]	10
2	
	-20 ℃ 60 ℃
Wa	ill, VESA Mount, DIN Rail, Bookshelf, Machine