## EU Declaration of Conformity

| Product:   | IEC 22.5 mm Push Button Operators, Contact Blocks, Power Modules,<br>Enclosures, and Configured Assemblies  |  |  |  |  |
|--|---|--|--|--|--|
| Name and address of the manufacture<br>Rockwell Automation, Inc.<br>1201 South 2 <sup>nd</sup> Street<br>Milwaukee, WI 53204<br>U.S.A. | r: Name and address of the authorised representative:<br>Rockwell Automation B.V.<br>Rivium Promenade 160<br>2909 LM Capelle aan den Ijssel<br>The Netherlands  |  |  |  |  |
| This declaration of conformity is issue  | d under the sole responsibility of the manufacturer.  |  |  |  |  |
| Object of the declaration:   | Allen Bradley 800F Series<br>(reference the attached list of catalogue numbers)   |  |  |  |  |
| The object of the declaration described  | d above is in conformity with the relevant Union harmonisation legislation:   |  |  |  |  |
| 2006/95/EC & 2014/35/EU<br>2004/108/EC & 2014/30/EU<br>2006/42/EC  | Low Voltage Directive(LVD)EMC Directive(EMC)Machinery Directive(MD)   |  |  |  |  |
| References to the relevant harmonised which conformity is declared:  | standards used or references to the other technical specifications in relation to   |  |  |  |  |
| EN 60947-5-1:2004+A1:2009<br>EN 60947-5-5:1997 + A1:2005 +<br>A11:2013   | Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices<br>and switching elements – Electromechanical control circuit devices<br>Low voltage switchgear and controlgear – Part 5-5: Control circuit devices<br>and switching elements – Electrical emergency stop devices with mechanical<br>latching function |  |  |  |  |
| EN ISO 13850:2008  | Safety of machinery – Emergency stop – Principles for design  |  |  |  |  |
| <u>Additional information:</u><br>Year of CE Marking (LVD):  | 2003  |  |  |  |  |
| Person authorised to compile the technical file (MD):  | Authorised representative (see details above).  |  |  |  |  |
| Signed for and on behalf of the above  | named manufacturer:   |  |  |  |  |
| Place and date of issue:   | Milwaukee, WI USA 15-Feb-2016   |  |  |  |  |
| Name, function:  | Daniel L. Nachtigall, Technical Leader – Product Certification Engineering  |  |  |  |  |
| Signature:   | Daniel h. hachtigall  |  |  |  |  |

## **Rockwell** Automation

| Catalogue number <sup>1</sup> | Series <sup>2</sup> | Description  | Directive <sup>3</sup> |     |     |
|-------------------------------|---------------------|--|------------------------|-----|-----|
|                               |                     | Description  | EMC                    | LVD | MD  |
| 800F-B                        |                     | Contact block  | N/R                    | Yes | N/R |
| 800F-Q                        |                     | Contact block  | N/R                    | Yes | N/R |
| 800F-X                        |                     | Contact block  | N/R                    | Yes | N/R |
| 800F-*Q                       |                     | Contact block with latch                                   | N/R                    | Yes | N/R |
| 800F-*X                       |                     | Contact block with latch                                   | N/R                    | Yes | N/R |
| 800F-D                        |                     | Power module   | N/R                    | Yes | N/R |
| 800F-B                        |                     | Power module   | Yes                    | Yes | N/R |
| 800F-N                        |                     | Power module   | Yes                    | Yes | N/R |
| 800F-N3G                      |                     | Power modules, 24 V ac/dc, green LED                       | Yes                    | Yes | N/R |
| 800F-Q                        |                     | Power module   | Yes                    | Yes | N/R |
| 800F-BN                       |                     | Power module   | Yes                    | Yes | N/R |
| 800F-BQ                       |                     | Power module   | Yes                    | Yes | N/R |
| 800F-*D                       |                     | Power module with latch                                    | N/R                    | Yes | N/R |
| 800F-*N                       |                     | Power module with latch                                    | Yes                    | Yes | N/R |
| 800F-*Q                       |                     | Power module with latch                                    | Yes                    | Yes | N/R |
| 800F-AC                       |                     | Resistive module   | N/R                    | Yes | N/R |
| 800F*-POT                     |                     | Resistive operator with/without resistive module           | N/R                    | Yes | N/R |
| 800F*-E                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-F                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-G                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-H                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-J                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-KB                      |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-KL                      |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-KM                      |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-KR                      |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-LE                      |                     | Contact block with operator and power module               | Yes                    | Yes | N/R |
| 800F*-LF                      |                     | Contact block with operator and power module               | Yes                    | Yes | N/R |
| 800F*-LG                      |                     | Contact block with operator and power module               | Yes                    | Yes | N/R |
| 800F*-LS                      |                     | Contact block with operator and power module               | Yes                    | Yes | N/R |
| 800F*-LU                      |                     | Contact block with operator and power module               | Yes                    | Yes | N/R |
| 800F*-LMM                     |                     | <i>Contact block with E-stop operator and power module</i> | Yes                    | Yes | Yes |
| 800F*-LMP                     |                     | Contact block with E-stop operator and power module        | Yes                    | Yes | Yes |
| 800F*-LMT                     |                     | <i>Contact block with E-stop operator and power module</i> | Yes                    | Yes | Yes |
| 800F*-MK                      |                     | Contact block with E-stop operator                         | N/R                    | Yes | Yes |
| 800F*-MP                      |                     | Contact block with E-stop operator                         | N/R                    | Yes | Yes |
| 800F*-MT                      |                     | Contact block with E-stop operator                         | N/R                    | Yes | Yes |
| 800F*-MM                      |                     | Contact block with E-stop operator                         | N/R                    | Yes | Yes |
| 800F*-P                       | 1                   | Pilot light  | Yes                    | Yes | N/R |
| 800F*-R                       |                     | Reset operator   | N/R                    | Yes | N/R |
| 800F*-S                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F*-U                       |                     | Contact block with operator                                | N/R                    | Yes | N/R |
| 800F-#                        |                     | Enclosure with operating elements                          | N/R                    | Yes | N/R |

1) \* Denotes an "M" (metal) or "P" (plastics)

# Denotes a number 1 through 6

2) If no series number is given, then all series are covered

3) Yes = Product is certified to this directive. N/R = This directive is not required for this product.