

EU Declaration of Conformity

Identification of the product: Global Moulded Case Switch Disconnectors

Name and address of the manufacturer: Name and address of the authorised representative:

Rockwell Automation, Inc.Rockwell Automation B.V.1201 South 2nd StreetRivium Promenade 160

Milwaukee, WI 53204

2909 LM Capelle aan den Ijssel
The North and Lander I

USA The Netherlands

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration: Allen-Bradley 140G Series

(reference the attached list of catalogue numbers)

The object of the declaration described above is in conformity with the relevant EU harmonisation legislation:

2006/95/ECLow Voltage Directive(LVD)2004/108/ECEMC Directive(EMC)

References to the relevant harmonised standards used or references to the specifications in relation to which

conformity is declared:

EN 60947-1:2007 + A1:2011 Low-voltage switchgear and controlgear – Part 1: General rules

EN 60947-3:2009 + A1:2012 Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors,

switch-disconnectors, and fuse-combination units

Additional information:

Year of CE Marking (LVD): 2014

Signed for and on behalf of the above named manufacturer:

Place and date of issue: Milwaukee, WI USA 31-Jan-2014

Name, function: Daniel L. Nachtigall – Technical Leader, Product Certification Engineering

Daint L. Nachtigall

Signature:



Catalogue number	Series 1	Description	Direc	Directive ²	
			EMC	LVD	
140G-G6S3-D12		125 A isolation disconnector, 1250 A magnetic trip, 3 pole	Yes	Yes	
140G-G6S4-D12		125 A isolation disconnector, 1250 A magnetic trip, 4 pole	Yes	Yes	
140G-H6S3-D12		125 A isolation disconnector, 1250 A magnetic trip, 3 pole	Yes	Yes	
140G-H6S4-D12		125 A isolation disconnector, 1250 A magnetic trip, 4 pole	Yes	Yes	
140G-I3S3-D22		225 A isolation disconnector, 2250 A magnetic trip, 3 pole	Yes	Yes	
140G-I3S4-D22		225 A isolation disconnector, 2250 A magnetic trip, 4 pole	Yes	Yes	
140G-J0S3-D25		225 A isolation disconnector, 2500 A magnetic trip, 3 pole	Yes	Yes	
140G-J0S4-D25		225 A isolation disconnector, 2500 A magnetic trip, 4 pole	Yes	Yes	
140G-K15S3-D40		400 A isolation disconnector, 5000 A magnetic trip, 3 pole	Yes	Yes	
140G-K15S4-D40		400 A isolation disconnector, 5000 A magnetic trip, 4 pole	Yes	Yes	
140G-M6S3-D80		800 A isolation disconnector, 10,000 A magnetic trip, 3 pole	Yes	Yes	
140G-M6S4-D80		800 A isolation disconnector, 10,000 A magnetic trip, 4 pole	Yes	Yes	
140G-N6S3-E12		1200 A isolation disconnector, 20,000 A magnetic trip, 3 pole	Yes	Yes	
140G-N6S4-E12		1200 A isolation disconnector, 20,000 A magnetic trip, 4 pole	Yes	Yes	
140G-R12S3-E25		2500 A isolation disconnector, 25,000 A magnetic trip, 3 pole	Yes	Yes	
140G-R12S4-E25		2500 A isolation disconnector, 25,000 A magnetic trip, 4 pole	Yes	Yes	

If no series number is given, then all series are covered.
 Yes = Product is certified to this directive.