

TU, Polyurethane Tubing, Metric Size

TU0604BU-20

Data Sheet

Series TU tubing represents a new high quality standard in metric size polyurethane tubing. Series TUH, hard polyurethane tubing, is available in a standard or high pressure type and TUS is a soft polyurethane tubing.

Standard Specifications

Size	ODØ6 IDØ4
Color	Blue
Roll Length	20m Roll
Pressure medium	Air, Water
Maximum temperature of pressure medium	20 °C
Maximal operating pressure	0.8 MPa
Maximum ambient temperature	60 °C / 40 °C for Water
Minimum ambient temperature	-20 °C (with no freezing) / 0 °C for Water
Usable tubing material	Polyurethane
Weight	0.386 kg

Additional information

Catalogue

[TU-29COLOR-A_EU.pdf](#)

Related Products



[KQ2H06-00A](#)

KQ2H*-00, One-touch Fitting White Color - Straight Union



[ASP330F-01-06S](#)

ASP, Speed Controller with Pilot Check Valve



[AS1002F-06](#)

AS*2F, Speed Controller, One-touch Fitting, In-line, Compact



[TM-06](#)

TM, Multi-tube Holder



[TK-3](#)

TK, Tube Cutter



[TMA-06](#)

TMA, Multi-fitting Holder