

# Rittal – The System.

Faster – better – everywhere.

## ► Incandescent lamps for steady light components – SG 2374.070

Date : Jan 18, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Incandescent lamps for steady light components – SG 2374.070

created: 18.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	With BA 15d base.
<b>Benefits:</b>	Simple assembly and contact via bayonet fastener.
<b>Function principle:</b>	A modular layout is possible with connection, optical and acoustic components, incandescent lamps and a label panel.

## Product features

<b>Rated operating voltage:</b>	260 V
<b>Power consumption:</b>	5 W
<b>Rated insulation voltage:</b>	2000 V AC
<b>Rated impulse withstand voltage, phase to phase:</b>	286 V AC
<b>Weight/pack:</b>	0.02 kg
<b>ETIM 5.0:</b>	EC000232
<b>eCl@ss 8.0/8.1:</b>	27371220
<b>eCl@ss 6.0/6.1:</b>	27371220

**Product description:** SG Incandescent lamp, for steady light component, 230 V, 5W

---